



SEPTEMBER 2022
Current as of: January 1, 2023



**HAT
COLLECTIVE™**
HUMAN ACTIVE TECHNOLOGY

WORK YOUR WAY.

Our product collection empowers you to choose the way you work. An individualized workspace ultimately leads to increased job satisfaction, improved health and well-being, and higher levels of engagement and productivity. Whether in the office or at home, sitting or standing, together or at a distance, our flexible, sophisticated range of workplace solutions lets you work your way.



TABLE OF CONTENTS

INTRODUCTION

Warranty	4
Terms & Conditions	5
Freight	7
Lead Times	8

WORKSTATIONS

Workstations	14
Bases.....	15
Power & Data Beam	48
Benching.....	64
Group & Conference.....	46, 66
Desktop Converters	69
Mobile	36
Dividers.....	74

MONITOR ARMS

STORAGE

SEATING.....

ACCESSORIES

Wire Management	109
Lighting.....	109
Power & Docking.....	111
Keyboard Trays	111
CPU Holders	111
Mounts & Adapters	112

WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available), at its discretion, any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be buyer’s exclusive remedy.

Seller will not be responsible for incidental or consequential damages.

THIS WARRANTY DOES NOT APPLY TO:

- Damage caused by a carrier.
- Labor charges.
- Normal wear and tear.*
- Defects caused by failure to follow instructions related to the product's installation or intended use.
- COM or other third party materials applied to the products.
- Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials
- Damage resulting from misuse, negligence, accident or alteration.

* Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

PRODUCTS:

- Bases, Power and Data Beam, Benching: craftsmanship for the life of the product. Electrical and mechanical components are warranted for 7 years.
- Pedestals are warranted for their lifetime
- Pedestal Cushions are warranted for 2 years.
- Worksurfaces & Dividers are warranted for 5 years. (Worksurface & Divider exclusions include: normal wear and tear, which are to be expected over the course of ownership; damage caused by abuse, misuse, neglect, vandalism, accident, disaster, improper storage, chemical damage, water or fire; damage caused by the carrier in-transit, which will be handled as claims against the carrier; modifications or attachments to the product that are not approved by the Company or use of a product in combination with products or equipment not appropriate for that product; products that were not installed, used or maintained in accordance with product instructions and warnings; causes external to a product such as use of improper cleaning supplies or environmental factors; products which have been modified or altered, repaired or refurbished by someone other than the company.)
- Winston Series: 5 years
- One Touch: 10 years unit/parts, 2 years motor
- Movel: 3 years
- Seating: Parts and components: 10 years, Mesh: 5 years

ACCESSORIES:

- Keyboard Trays: 1 year
- Monitor Arms: 10 years
- Power Modules: 5 years
- CPU Holders: 5 years
- Lighting: 2 years
- Docking Station: 1 year

TERMS & CONDITIONS

The following terms and conditions shall apply to all orders by buyer (“Buyer” or “you”) for goods and services purchased from Human Active Technology (individually the “Seller” or “Us”, and, together with Buyer, the “parties”). By accepting delivery, Buyer agrees to be bound by and accepts these terms and conditions. These terms and conditions supersede the terms and conditions of or attached to the Buyer’s purchase order or any similar document submitted by Buyer (a “Purchase Order”), meaning any provision of the Buyer’s Purchase Order or attachment thereto which conflicts with these terms and conditions shall be ineffective and these terms and conditions shall govern each Purchase Order unless the Seller shall subsequently agree otherwise in writing.

1. RESERVATION OF RIGHTS

Seller reserves the right to change at any time without notice these terms and conditions.

2. PAYMENT TERMS

a. CREDIT – Credit may be extended to Buyer at Seller’s sole discretion. Credit approval is required for all orders on open account. All products, parts and services sold to Buyer on open account are due ‘Net 30 Days’ from date of invoice, unless otherwise agreed to in writing at the time of sale. A service charge at the then-current prevailing rate is assessed on delinquent balances. Seller reserves the right to change this rate or the ‘Net 30 Days’ payment due date from time to time. Service charges will be assessed monthly. The current rate is 1.5% per month (18% annually) or the maximum rate allowed by law, whichever is less. Buyer is responsible for cancellation costs and attorney’s fees associated with collection of monies owed to Seller by Buyer. Buyer shall notify Seller in writing of errors contained in invoices within 30 days of issuance. Invoices are deemed correct 30 days following issuance. Credit accounts past due will be placed on hold– pending orders will not be shipped and work-in-process for pending orders will be stopped until account is made current by Buyer.

b. DEPOSIT FOR LARGE ORDERS – For orders from new customers of \$20,000 or more, standard terms are: 1/2 deposit with the Purchase Order and 1/2 payment prior to shipment. For orders from established customers of \$50,000 or more, standard terms are: 1/2 deposit with the Purchase Order and 1/2 payment Net 30 Days.

3. CURRENCY

All prices quoted and monies due are in U.S. dollars. For non-U.S. customers, payment may be made by certified check, wire transfer or VISA, MasterCard or American Express.

4. DELIVERY & FREIGHT

a. U.S. SHIPMENTS – Unless otherwise negotiated, standard freight terms for order shipments within the 48 contiguous states of the United States are prepay and add to final invoice. Seller reserves the right to reasonably charge the buyer for all non-standard delivery requirements which may include but are not limited to:

- Consolidation and delivery on the same truck
- Expedited or air freight
- Special shipping or packaging methods
- Liftgates/forklift
- Delivery outside of normal hours
- Inside delivery
- Redelivery, notification, etc.
- Improper refusal of product
- Detention charges
- Street unloads
- Redirection of product
- Storage past acknowledged ship date

(All products in the catalog will receive ship dates respective of their product category and can be found on the following page: 9.

i. Title passes to Buyer at the dock of the shipping origin. Choice of carrier is at Seller's discretion, unless specified by Buyer's Purchase Order. Freight charges are added to Buyer's invoice unless Buyer's Purchase Order specifies carrier routing, notes "freight collect," and includes applicable carrier account numbers and/or billing information.

ii. For Alaska – freight is prepaid to Port of Seattle, Washington. For Hawaii, freight is prepaid to Port of Oakland, California.

iii. Customer arranged pick up (will-call) is available with timely and reasonable coordination. Once confirmed, Buyer will have three (3) business days from notification to pick up the order. If the order is not picked up within this time frame, storage charges may apply.

iv. All requests for carrier-guaranteed delivery times shall be considered and will include an additional fee, if accepted. This additional fee will be the maximum liability to the Seller. If the carrier misses the guaranteed delivery time, a refund will be issued to customer.

b.NON-U.S. SHIPMENTS – Unless otherwise negotiated and accepted by the Seller in writing, shipments outside of the U.S. are shipped Freight On Board (FOB) Origin or Shipping Origin. Title passes to Buyer at the dock of Shipping Origin regardless of method of shipment. Transportation costs will be added to invoice unless Buyer's Purchase Order specifies carrier routing, notes "freight collect" and includes applicable carrier account numbers and/or billing information. Unless otherwise negotiated, Buyer is responsible for arranging customs clearance and for filing and paying all applicable duties and taxes outside of the United States.

c.DAMAGE – Seller is not responsible for damage that occurred in transit or during storage. Before accepting a shipment from the carrier, Buyer (and/or its designated receiver) is to carefully review the packing list and inspect the quantity and condition of the items. For any external damage, Buyer should document all damage on the Bill of Lading and request a carrier inspection of the product.

d.CONCEALED DAMAGE – Buyer must report concealed damage to the carrier and Seller, in writing, within 48 hours of receipt. In the event of damage, Buyer shall accept the order and contact Seller for issue resolution. Seller agrees to take all reasonable measures to assist Buyer in resolving claims for loss or damage.

e.EARLY SHIPMENTS – Estimated ship dates are sent with order acknowledgements. Seller may ship up to 5 days early, unless requested otherwise on Buyer’s Purchase Order.

f. REPACKING CHARGES – Any Buyer requests to change shipment methods or destinations stated on Purchase Order, or any requests from Buyer for special packaging not stated on Purchase Order may result in repacking charges if requests require Seller to repack order.

5. TAXES AND DUTIES

Buyer shall be responsible for all taxes and duties which result from the transfer of title, sale or delivery of the goods and services purchased hereunder. Taxes may not be applied if a valid and correct tax exemption certificate is furnished to Seller prior to shipment.

6. CANCELLATIONS

Purchase Orders may not be changed or canceled, in whole or in part, without prior written consent of Seller. Changes or revisions must be clearly indicated on the new Purchase Order and may affect delivery dates. Expenses incurred because of changes will be charged to the Buyer as customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by Seller. Charges may be incurred by Buyer for the entire amount of the order. Orders for customized products, custom finishes or applying Customer's Own Material (COM) may not be canceled. All such custom orders are final

TERMS & CONDITIONS
(CONTINUED)

and non-refundable.

7. RETURNS AND CLAIM POLICY

a. RESPONSIBILITY. It is Buyer’s responsibility to examine goods upon receipt and to notify Seller with any concerns. Any claims against Seller for apparent defects, errors or shortages must be made by the Buyer within 48 hours after any receipt date. Failure by the Buyer to make any claim against Seller within 48 hours shall constitute acceptance of the goods and waive any apparent defects, errors or shortages.

b. DEFECTIVE ITEMS – Defective items may be returned within limits of the Warranty.

c. CUSTOM-CONFIGURED ITEMS – Non-defective Custom-configured Items are not returnable.

d. RETURNS
Authorized merchandise returns must be approved prior to the arrival of any goods at our dock. Unauthorized returns will not be accepted by Seller. All returns must be labeled with a valid Return Authorization (R/A) number on the outside of packaging. Shipments without R/A numbers will be rejected. R/A numbers may be obtained by calling Seller. Products must be returned to Seller within 30 days of receipt. Returns are subject to up to a 25% restocking fee plus return freight charges. Product must be returned in original cartons in "as new" condition.

8. BLANKET ORDERS

Blanket Orders include any order by Buyer to be received in multiple shipments (“releases”).
·Buyer must accept all releases within 6 months of Purchase Order receipt, unless agreed by Seller otherwise in writing. Units not requested to be shipped by Buyer within 6 months of Purchase Order receipt will be shipped and invoiced to Buyer immediately following the 6 month deadline. Cancellation and order change fees apply as specified in sections 6a and 6b.

9. WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the Buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available) at its discretion any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied, and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be Buyer’s exclusive remedy. Seller will not be responsible for incidental or consequential damages.

THIS WARRANTY DOES NOT APPLY TO:

- Damage caused by a carrier.
- Buyer’s labor charges.
- Normal use, wear and tear.*
- Defects caused by failure to follow instructions related to the product’s installation or intended use.
- Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials (i.e., COM) or a third party’s materials
- Damage resulting from misuse, negligence, accident or alteration.

TERMS & CONDITIONS
(CONTINUED)

and determine any suit instituted under these terms and conditions (and all Purchase Orders). Each party expressly submits in advance to such jurisdiction in any action or proceeding commenced by the other, and agrees that service of such summons and complaint, or other process or papers, may be made in accordance with the physical Notice provisions hereof concerning certified mail, return receipt requested.

17. NOTICE

The parties may give notice to each other by certified mail, return receipt requested or overnight courier, according to the addresses set forth in the Purchase Order. Ordinary course email notice may be given concerning details of or changes to any given Purchase Order, provided the sender has received electronic confirmation of

*Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

Individual product warranty time periods can be found on the Seller’s websites.

10. INSTALLATION

Seller does not take responsibility for Buyer’s installation of Seller’s products. Buyer must supply own installation or acquire installation services from a third party.

11. ONLINE AUCTIONS

Buyer agrees that product purchased from Seller will not be sold at online auction for less than Seller’s suggested retail price, unless clearly marked as “Used” in both auction subject line and descriptive text. Buyer is obligated to inform prospective bidders that Seller’s warranties are voided by sale at online auction and product purchased at online auction may not for any reason be returned to Seller for repair, credit or exchange. Seller reserves the right to refuse to sell to any Buyer discovered to be in violation of these terms and conditions.

12. RESALE

Subject to Section 11, on any resale of purchased items the Buyer will contractually limit its buyer’s rights and remedies against both Buyer and Seller to the same extent as Buyer’s rights and remedies covered in Warranty and Returns and Claim Policy above.

13.PERMITS & COMPLIANCE

Seller is not responsible for obtaining any permits, inspections or licenses required for installation or operation of the goods or services. Seller makes no promise or representation that the goods or services will conform to any federal, state, local, foreign or other laws, ordinances, regulations, codes or standards.

14. LIMITED LIABILITY

The entire liability of Seller to Buyer for any cause whatsoever, regardless of the form of action, whether in contract, tort or otherwise, shall be limited to the direct damages proven or an amount equal to the purchase price of the products or services, whichever is less. In no event shall Seller be liable for any indirect, special reliance, incidental or consequential damages (including lost profits or savings) sustained or incurred in connection with the product. This paragraph shall survive failure of any exclusive remedy.

15.NON-WAIVER

Any failure on Seller’s part to insist upon the strict performance of any term or condition set forth herein shall not be deemed a waiver of any of Seller’s rights or remedies hereunder, nor of its right to insist upon the strict performance of the same or of any other term of this document in the future. No waiver of any condition of this document shall be valid unless in writing and signed by an authorized representative of Seller.

16. PREVAILING LAW

The parties hereto hereby agree that these terms and conditions (and all Purchase Orders) shall be governed by and construed in accordance with, for all purposes, the laws of the Commonwealth of Pennsylvania, without reference to its rules concerning conflicts of laws, and further agree that the Pennsylvania State courts or the federal court for the Eastern District of Pennsylvania shall have exclusive jurisdiction to hear

FREIGHT

FREIGHT TERMS

Unless otherwise negotiated, standard freight terms for order shipments within the 48 contiguous states of the United States are prepay and add to final invoice. All pricing includes freight, except for orders under \$2,000 Net. Orders under \$2,000 net will incur an 11% freight cost based on total net. Monitor arms do not incur freight charges.

Below products will always incur a freight charge. Call for quote.

- Winston Series
- One Touch
- Mobile Ped
- HAT Worksurfaces
- Elle
- Ellehaven
- Fiellø
- M-Series
- Special Order/Custom Products

Alaska: freight is prepaid to Port of Seattle.
Hawaii: freight is prepaid to Port of Oakland.

DELIVERY

Seller reserves the right to reasonably charge the buyer for all non-standard delivery requirements which may include but are not limited to:

- Consolidation and delivery on the same truck
- Expedited or air freight
- Special shipping or packaging methods
- Liftgates/forklift
- Delivery outside of normal hours
- Inside delivery
- Redelivery, notification, etc.
- Improper refusal of product
- Detention charges
- Street unloads
- Redirection of product
- Storage past acknowledged ship date

WILL CALL

Bay Area orders require will call. Freight surcharge of 5% of net applied if shipping required within the Bay Area.

Will Call orders will have a confirmed pick up date. Customers will have three (3) business days from notification to pick up their order. If the order is not picked up within this time frame, storage charges may apply.

TAXES AND DUTIES

Buyer shall be responsible for all taxes and duties which result from the transfer of title or sale or delivery of the Goods & Services purchased hereunder. Taxes may not be applied if a valid and correct tax exemption certificate is furnished to Seller prior to shipment.

CANCELLATIONS

Purchase Orders may not be changed or canceled, in whole or in part, without prior written consent of Seller. Changes or revisions must be clearly indicated on the new Purchase Order and may affect delivery dates. Expenses incurred because of changes will be charged to the Buyer as customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by Seller. Charges may be incurred by Buyer for the entire amount of the order. Orders for customized products, custom finishes or applying Customer's Own Material (COM) may not be canceled. All such custom orders are final and non-refundable.

SHIPMENT DAMAGE CLAIMS

Seller is not responsible for damage that occurred in transit or during storage. Before accepting a shipment from the carrier Buyer (and/or their designated receiver) is to carefully review the packing list and inspect the quantity and condition of the items. For any external damage, Buyer should document all damage on the Bill of Lading and request a carrier inspection of the product. Buyer must report concealed damage to the Carrier and Seller in writing, within 48 hours of delivery.

ROUTING

Standard courier shipments are made via common carrier, unless otherwise specified by customer. Special routing requests made by the customer may result in additional charges to the purchaser. All LTL/full-trailer shipments are dock-to-dock.

Shipments are not guaranteed. Should you require guaranteed service please contact Customer Service. We will work to arrange a specific delivery timetable with the carrier, charges may apply.

WORKSTATION LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

PRODUCT CATEGORY	MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Bases	Mid HAT	3 Days	8-12 Weeks
	Hi HAT	3 Days	8-12 Weeks
	L Unit	3 Days	8-12 Weeks
	Kita	-	20-30 Days
	S-Collection Electric Frame Only	-	20-30 Days
	S-Collection Electric Frame & Top	-	20-30 Days
	M-Series Frame & Top	-	20-30 Days
	Elle Frame Only	-	20-30 Days
	Elle Frame & Top	-	20-30 Days
Power & Data Beam	Beam Frame	3 Days	-
	Posts	3 Days	-
	Duplex Receptacle	3 Days	-
	Power Pole	3 Days	-
	Power Trac	3 Days	-
	Power Feed	3 Days	-
	Ivy	-	13-14 Weeks
Benching	Dual Benching Unit	3 Days	-
Group & Conference	Conference Table	3 Days	-
	Ellehaven Frame Only	-	30-40 Days
	Ellehaven Frame & Top	-	30-40 Days
Mobile	Movel	3 Days	-
Worksurfaces	Rectangular: 24" x 48", 24" x 60", 30" x 48", 30" x 60" *Limited Finishes	3-5 Days*	10-15 Days
	Rectangular: 17 sizes available	-	10-15 Days

* Orders over 99, please call
** Orders over 50, please call
** 19 or less: 2-3 weeks, 20 or more: 4 weeks

WORKSTATION LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

PRODUCT CATEGORY	MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Dividers	PET (Surface/Beam Mounted)	–	10-20 Days***
	Fabric Fold (Surface/Beam Mounted)	–	10-20 Days***
	Acrylic (Surface/Beam Mounted)	–	20 Days***
	White Board (Surface/Beam Mounted)	–	20 Days
	Acrylic Modesty Panel	–	10-20 Days***
	Aura	–	15-20 Days

* Orders over 99, please call
** Orders over 50, please call
** 19 or less: 2-3 weeks, 20 or more: 4 weeks

PRODUCT CATEGORY	MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Desktop Converters	Winston Desk	3 Days	5 Days	7 Days	Call
	Winston Desk Corner	3 Days	5 Days	7 Days	Call
	Winston E-Desk	3 Days	5 Days	7 Days	Call
	Winston Workstation Single*	1 Day	3 Days	5 Days	Call
	Winston Workstation Dual*	1 Day	3 Days	5 Days	Call
	Winston Workstation Triple*	3 Days	5 Days	7 Days	Call
	Winston Workstation Quad*	3 Days	5 Days	7 Days	Call
	Winston-E Single	3 Days	5 Days	7 Days	Call
	Winston-E Dual	3 Days	5 Days	7 Days	Call
	Winston-E Triple	3 Days	5 Days	7 Days	Call
	One Touch Single Freestand	3 Days	5 Days	7 Days	Call
	One Touch Dual Freestand	3 Days	5 Days	7 Days	Call
	One Touch Dual Ultra	3 Days	5 Days	7 Days	Call
	One Touch Triple Ultra	3 Days	5 Days	7 Days	Call
	One Touch Quad Ultra	3 Days	5 Days	7 Days	Call
	One Touch One over Three Ultra	3 Days	5 Days	7 Days	Call
	One Touch Two over Two Ultra	3 Days	5 Days	7 Days	Call
	One Touch Three over Three Ultra	3 Days	5 Days	7 Days	Call

* Finish 248 (White) has a 20 Day lead time.

MONITOR ARMS LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Envoy Single	3 Days	5 Days	7 Days	Call
Envoy Dual	3 Days	5 Days	7 Days	Call
E2 Single	Next Day	3 Days	5 Days	Call
E2 Dual	Next Day	3 Days	5 Days	Call
Staxx	3 Days	5 Days	7 Days	Call

MODELS	1-49 UNITS	50-149 UNITS	150+ UNITS
Evo Single	2 Days	3 Days	Call
Evo Dual	2 Days	3 Days	Call
E2 Connex	20 Days	Call	Call
7000 Single*	2 Days	3 Days	Call
7000 Dual*	2 Days	3 Days	Call
7000 Dual Crossbar	2 Days	3 Days	Call
7500	2 Days	4 Days	Call

* Finish 248 (White) has a 20 Day lead time.

STORAGE LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
HAT Mobile Pedestal Slim	3 Days	–
HAT Mobile Pedestal	3 Days	–
HAT Mobile Pedestal Cushions	3 Days	8-12 Weeks 50 minimum order qty.
Collective Storage Mobile Locker	Call	–
Collective Storage Mobile Pedestal Slim	Call	–
Collective Storage Mobile Pedestal	Call	–
Collective Storage Mobile Credenza 30"	Call	–
Collective Storage Mobile Credenza 48"	Call	–
Collective Storage Cushions	Call	Call

SEATING LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Iku	3 Days	Call

* Orders over 50, please call.

ACCESSORIES LEAD TIMES

MODELS	LEAD TIMES
Surface Power Modules	3 Days
Wire Management Sleeve	3 Days
Cable Management Sleeve	3 Days
Casters	3 Days
CPU Holders	3 Days
Docking Station	3 Days

MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Evo Single Thru-Desk Mount	3 Days	5 Days	7 Days	Call
Evo Dual Mount Kit	3 Days	5 Days	7 Days	Call
Slider	20 Days	20 Days	20 Days	Call

IN-STOCK PROGRAM

In-Stock products ship in three business days or less.

In-Stock products include:

- Bases
- Power and Data Beams
- Benching
- Worksurfaces (limited skus)
- Mobile Workstations
- Dividers (limited skus)
- Mobile Pedestals

Accessories

- Surface Mounted Power
- Wire Management Sleeve
- Cable Management Tray
- Casters
- CPU Holders
- Docking Station

* For more information, please contact your sales representative.

CERTIFICATIONS

HAT Collective leads the way in exceptional quality by combining products that perform with award winning design. We pride ourselves on meeting and exceeding industry standards so customers can feel confident they have invested in quality, high-performing products that will last.

CLEAN AIR GOLD

ANSI/BIFMA e3-2019, Sections 7.6.1, 7.6.2, 7.6.3: Open Plan Office and Private Office
Number: CA-88279-2021a, CA-81406-2021a, CA-80639-2021a, and CA-80639-2021b
Certification Status: Certified
Certification Period(s): 12/09/2021 – 12/09/2022

UL 962 / CE / TUV MARKINGS

HAT bases meet UL testing standards.

ANSI / BIFMA

HAT products within this price list generally meet or exceed applicable BIFMA and ANSI standards.

LEED CREDITS

HAT bases qualify for a variety of LEED credits.



WORKSTATIONS

HAT Collective workstations epitomize innovative design and functionality, helping to easily create an active, productive office environment. Sleek aesthetic and quality construction come together to provide a beautiful, healthy, and personalized work experience. Our standard product line offers unmistakable European flare and our in-stock bases are ideal for quick installations.

Problem solving for a complex environment or specific requests? Our Enhanced Design Solutions program enables total customization through professional design support and direct access to our manufacturing team.

















To complete your personalized work environment, add power, modesty panels, storage, and more to create a comprehensive HAT Collective workspace.





WORKSTATIONS

STATEMENT OF LINE


BASES

					
Mid HAT, 2-Stage	Hi HAT, 3-Stage	HAT L Unit, 3-Leg	S-Collection SE 2-Leg, 2-Stage	S-Collection SX 2-Leg, 3-Stage	S-Collection SXL 2-Leg, 3-Stage
					
S-Collection 3-Leg, 2-Stage or 3-Stage	S-Collection Panel Mounted	S-Collection Wall Mount	Kita MID 2-Leg, 2-Stage	Kita HI 2-Leg, 3-Stage	Elle
					
M-Series Freestanding	M-Series Tripod	M-Series Quad	M-Series Wall Mount		



POWER & DATA BEAM

	
Beam Frames	Ivy


BENCHING


Dual Benching Unit

GROUP & CONFERENCE


	
Conference Table	Ellehaven

WORKSURFACES


Rectangle

WORKSTATIONS
STATEMENT OF LINE

MOBILE




Movel



M-Series Nesting


DESKTOP CONVERTERS




Winston Desk




Winston Desk Corner




Winston E-Desk




Winston Workstation
Single




Winston Workstation
Dual




Winston Workstation
Triple




Winston Workstation
Quad



Winston-E
Single




Winston-E
Dual



Winston-E
Triple



One Touch
Single



One Touch
Dual




One Touch
Triple



One Touch
Quad



One Touch
One over Three



One Touch
Two over Two




One Touch
Three over Three

DIVIDERS




Surface Mount
(PET, Fabric, Acrylic
& White Board)




Beam Mount
(PET, Fabric, Acrylic
& White Board)




Slide
(PET)



Wrap
(PET & Acrylic)




Modesty Panel
(Acrylic)



Aura


HAT BASES
OVERVIEW

MID HAT, 2-STAGE




- Electric height adjustable table base (2 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (S: 24"- 41", L: 42"- 74")
- 2 stage legs adjust from 27.25"- 46.75" (frame height)
- LED 4 position programmable handset
- Dual sync motors / 300 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.2" per second

HI HAT, 3-STAGE



- Electric height adjustable table base (2 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (S: 24"- 41", L: 42"- 74")
- 3 stage legs adjust from 23.75"- 49" (frame height)
- LED 4 position programmable handset
- Dual sync motors / 300 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.5" per second




HAT L UNIT



- Electric height adjustable table base (3 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (L: 42"- 74")
- 3 stage legs adjust from 23.75"- 49" (frame height)
- LED 4 position programmable handset
- Tri sync motors / 350 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.5" per second

MID HAT BASES

2-STAGE

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Rectangular, 2 Legs	HAT2-MID-S-__	28" - 45"	24" - 30"	64 lbs.	\$1,034
	HAT2-MID-L-__	46" - 96"	24" - 30"	68 lbs.	\$1,034
	Description: • Expandable width frame (S: 24"- 41", L: 42"- 74")				
Corner Unit, 2 Legs	HAT2-MID-S-__	36" - 48"/36" - 48"	24" - 30"	64 lbs.	\$1,034
	Note: For corner units over 48" wide use the LUHAT-HI-L 3 Leg Base (See L-Unit section on page 23)				
120 Degree Unit, 2 Legs	HAT2-MID-S-__	36" - 48"/36" - 48"	24" - 30"	70 lbs.	\$1,034
	Note: For 120 Degree corner units over 48" wide order the HAT3-HI-L 3 Leg Base (See L-Unit section on page 23)				






Please specify color:
SI = Silver, WH = White, BK = Black
DM = Industrial Steel Antique, HC = Industrial Steel Matte
(DM and HC are special order only, upcharge applies)

Add code to end of model number.
Example: HAT2-MID-S-SI

Notes:
• See page 19 for table frame specifications
• Worksurfaces not included
• Stocked in silver, white, black
• Custom color match available - standard lead times apply
• DM and HC: 2 Leg List Upcharge = \$70

HI HAT BASES

3-STAGE

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Rectangular, 2 Legs	HAT2-HI-S-__	28" - 45"	24" - 30"	70 lbs.	\$1,259
	HAT2-HI-L-__	46" - 96"	24" - 30"	74 lbs.	\$1,259
	Description: • Expandable width frame (S: 24"- 41", L: 42"- 74")				
Corner Unit, 2 Legs	HAT2-HI-S-__	36" - 48"/36" - 48"	24" - 30"	70 lbs.	\$1,259
	Note: For corner units over 48" wide use the LUHAT-HI-L 3 Leg Base (See L-Unit section below)				
120 Degree Unit, 2 Legs	HAT2-HI-S-__	36" - 48"/36" - 48"	24" - 30"	70 lbs.	\$1,259
	Note: For 120 Degree corner units over 48" wide order the LUHAT-HI-L 3 Leg Base (See L-Unit section below)				
L Unit, 3 Legs	HAT3-HI-L-__	48" - 84"/48" - 84"	24" - 30"	100 lbs.	\$1,889
	Notes: • This 3 leg base adjusts for multiple sizes of L-shaped units • This 3 leg base cannot be used with a 3-piece top • This 3 leg base is used for 120 Degree corner units over 48" wide				
	Example: 				

Please specify color:
SI = Silver, WH = White, BK = Black
DM = Industrial Steel Antique, HC = Industrial Steel Matte
(DM and HC are special order only, upcharge applies)

Add code to end of model number.
Example: HAT2-HI-S-SI

Notes:
• See page 19 for table frame specifications
• Worksurfaces not included
• Stocked in silver, white, black
• Custom color match available - standard lead times apply
• DM and HC: 2 Leg List Upcharge = \$70,
3 Leg List Upcharge = \$105

S-COLLECTION
OVERVIEW

SPECIFICATIONS	SE 2-STAGE	SX 3-STAGE	SXL 3-STAGE	3-LEG 2-STAGE or 3-STAGE
Height Range* (Including 1.125" worksurface)	27.1" - 45.6"	22.2" - 48.7"	22.2" - 48.7"	2-Stage: 27.1" - 45.6" 3-Stage: 22.2" - 48.7"
Frame-Only Weight Load*	350 lbs.	350 lbs.	220 lbs.	525 lbs.
Adjustment Speed Per Second	1.5"	1.5"	1.5"	1.5"
Worksurface Leg Configuration	2, 3 Legs	2, 3 Legs	2 Legs	3 Legs
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White	Silver, Black, White
National Electric Code Compliant	Yes	Yes	Yes	Yes
ETL Listed to UL 962**	Yes	Yes	Yes	Yes

* Wall Mount not included.
** Restrictions may apply such as Panel Mount and Wall Mount.

SWITCH OPTIONS



UD Up Down



DS Digital Switch



PH Personal Health Assistant Tracker

Standard Up/Down switch included.
Additional \$194 charge for DS and \$216 for PH.


OPTIONAL FEATURES

	SE	SX	SXL
Premium Collision Sensor	Available	Available	Available
Standard Collision Software	Available	Available	Available
Gyroscopic Sensor	Available	Available	Available
Factory Programmable Lockout	Available	Available	Available
Lithium Battery Operation	Available	Available	Available
Available as Frame-Only	Available	Available	Available
UD Up/Down Switch	Available	Available	Available
DS Digital Memory Switch	Available	Available	Available
PH Personal Health Assistant Tracker	Available	Available	Available


Available
Not Available

8 GAUGE METAL FOOT	CODE	FOOT LENGTH	TABLE DEPTH OPTIONS
10" Centered	C	9.85" (250mm)	Panel Mount and 3-Leg Center Only
17" Cantilevered	S	15.76" (400mm)	17" - 30" (3-Leg Only)
22" Cantilevered	M	21.56" (547.6mm)	22" - 27"
28" Cantilevered	L	27.56" (700mm)	28" - 30"
28" Conference T-Foot	T	27.56" (700mm)	28" - 50" (42" - 50" for Conference Only)*


* Worksurface depth above 30" is not ETL listed.




28" T




28" L



22" M




17" S




10" C


WORKSURFACE SHAPES & CROSSBARS




90°
3-Leg
Equal Returns



90°
3-Leg
Long Right Return




90°
3-Leg
Long Left Return



120°
2-Leg & 3-Leg
Equal Returns



RECTILINEAR
2-Leg




90°
2-Leg

A Crossbar = 36" - 48" **B** Crossbar = 49" - 72" **C** Crossbar = 73" - 90" (excluding SXL) **F** Fixed Crossbar = Additional Sizes


Additional worksurface dimensions and specifications available upon request.
Shape and size of worksurface determines crossbar needed.
Crossbar adjusts in 1" increments.

S-COLLECTION
FINISHES


HPL WORKSURFACE LAMINATE




KM
Kensington
Maple




RC
River
Cherry




WC
Wild
Cherry




NO
New Age
Oak




BM
Birch
Matrix



DW
Designer
White




FG
Fashion
Grey




NS
North
Sea

HAT Collective proudly offers all WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Extended lead times and pricing changes may apply for laminates not listed above. Worksurface thickness is 1.125".


EDGE FINISHES




CH
Charcoal




LG
Light
Grey




DW
Designer
White




GH
Graphite



NS
North
Sea




FM
Fusion
Maple




ST
Storm

HAT Collective proudly offers all 3mm Rehau edges. Extended lead times and pricing changes may apply for edge finishes not listed above. Non-standard finishes subject to quote.


FRAME FINISHES



S (30)
Silver




B (10)
Black




W (04)
White

ENHANCED DESIGN SOLUTION FINISHES


FRAME FINISHES




M (40)
Mocha



CL
Clear




CH
Charcoal



G (20)
Grey


EDGE FINISHES




EP
Exposed Plywood

Enhanced Design Solution Finishes may require engineering approval, minimum order quantities extended lead times, and a price increase. Contact your sales rep for a custom quote.

ORDER FRAME ONLY




SE
2-Stage Leg



SX or SXL
3-Stage Leg

+



Product Name: Specify product name to determine height adjustability.
Frame Model: Obtain model information from charts on pricing pages.
Frame Color: Specify **B** (black), **W** (white), **S** (silver).
Switch: Specify **UD** (up/down), **DS** (digital), **PH** (health tracker).

SE2

NAME

-

A-MM

MODEL

-

S


FRAME
COLOR

-


UD

SWITCH
SELECTION

ORDER FRAME & WORKSURFACE




SE
2-Stage Leg




SX or SXL
3-Stage Leg

+



+



Product Name: Specify product name to determine height adjustability.
Frame Model: Obtain model information from charts on pricing pages.
Frame Color: Specify **B** (black), **W** (white), **S** (silver).
Switch: Specify **UD** (up/down), **DS** (digital), **PH** (health tracker).
Surface Color: Specify laminate color from our list of favorites.
Edge Color: Specify edge color.

SX2

NAME

-

3624

MODEL

-

S

FRAME
COLOR

-

UD

SWITCH
SELECTION

-

DW

SURFACE
COLOR

-





DW

SURFACE
EDGE

SX2, SE2 & SXL2 FRAME ONLY

FRAME ONLY WITH 22" CANTILEVER L FEET

Depth Range: 22" - 27"







MODEL	SX2	SE2	SXL2
A-MM	\$2,529	\$1,390	\$1,101
B-MM	\$2,749	\$1,477	\$1,194

W	D	W	D	W	D
36" - 48"	22" - 27"	-	-	36" - 41"	22" - 27"
49" - 72"	22" - 27"	-	-	42" - 48"	22" - 27"

FRAME ONLY WITH 28" CANTILEVER L FEET

Depth Range: 28" - 30"



MODEL	SX2	SE2	SXL2
A-LL	\$2,689	\$1,433	\$1,149
B-LL	\$2,808	\$1,520	\$1,240





W	D	W	D	W	D
36" - 48"	28" - 30"	40" - 48"	28" - 30"	36" - 41"	28" - 30"
49" - 72"	28" - 30"	-	-	42" - 48"	28" - 30"



SX2, SE2 & SXL2 FRAME ONLY

FRAME ONLY WITH 28" T FEET

Depth Range: 28" - 30"





MODEL	SX2	SE2	SXL2
A-TT	\$2,689	\$1,433	\$1,149
B-TT	\$2,808	\$1,520	\$1,241

W	D	W	D	W	D
36" - 48"	28" - 30"	40" - 48"	28" - 30"	36" - 41"	28" - 30"
49" - 72"	28" - 30"	-	-	42" - 48"	28" - 30"

FRAME ONLY WITH WALL MOUNT

Depth Range: 24" - 30"



MODEL	SX2 WM	SE2 WM
A-WM	\$2,768	\$1,572
B-WM	\$2,881	\$1,655



W	D
36" - 48"	24" - 30"
49" - 72"	24" - 30"



SX2 & SE2 PANEL MOUNT FRAME ONLY

FRAME ONLY FOR RECTILINEAR WORKSURFACE

10" Feet



MODEL	PANEL	SX2	SE2
A-CC	PM**	\$2,797	\$1,542
B-CC	PM**	\$2,917	\$1,629 ¹

W	D
35" - 47"	22" - 30"
48" - 71"	22" - 30"

For panel integration systems not listed, please contact your sales rep for a custom quote.
Extended lead times may apply subject to HAT Engineering Review.

**AVAILABLE PANEL INTEGRATIONS

Steelcase Answer	01	Knoll Reff	05
Steelcase Avenir	15	Knoll Autostrad	05
Haworth Compose	02	Knoll Dividends	11
Haworth Unigroup	03	Allsteel	06
Herman Miller Canvas	02	Dirtt Wall	07
Herman Miller A02	04	AIS Divi	10
Teknion Leverage	02	AIS M Wall	10

SX2

NAME

-

A-CC

MODEL

-

PM01

PANEL MOUNT
(PM**)

-

S

FRAME
COLOR

-



UD

SWITCH
SELECTION

SX3 & SE3 FRAME ONLY

FRAME ONLY FOR 90° WORKSURFACE

17" Cantilever Feet





MODEL	SX3	SE3
AA-SS-C	\$3,096	\$2,085
BB-SS-C	\$3,150	\$2,172

W	D
42" - 54"	22" - 30"
54" - 78"	22" - 30"

SXV3 & SEV3 FRAME ONLY

FRAME ONLY FOR 120° WORKSURFACE

22" or 28" Cantilever Feet



MODEL	SXV3	SEV3
BB-MM-C	\$3,205	\$2,195
BB-LL-C	\$3,259	\$2,281

W	D
60" - 78"	22" - 27"
60" - 78"	28" - 30"

SX3

NAME

-

AA-SS-C

MODEL

-

S

FRAME
COLOR

-

UD

SWITCH
SELECTION

KITA
OVERVIEW

SPECIFICATIONS	MID 2-STAGE	HI 3-STAGE	HIL 3-STAGE
Height Range*	27.1" - 45.6"	21.1" - 47.6"	21.1" - 47.6"
Frame-Only Weight Load*	350 lbs.	350 lbs.	220 lbs.
Adjustment Speed Per Second	1.5"	1.5"	1.5"
Worksurface Leg Configuration	2	2	2
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
National Electric Code Compliant	Yes	Yes	Yes

SWITCH OPTIONS



DS Digital Switch




PH Personal Health Assistant Tracker


Digital switch included.
Additional \$216 for PH.

8 GAUGE METAL FOOT	CODE	FOOT LENGTH	TABLE DEPTH OPTIONS
28" Cantilevered	L	27.56" (700mm)	28" - 30"
28" Centered T-Foot	T	27.56" (700mm)	28" - 50" (42" - 50" for Conference Only)*

* Worksurface depth above 30" is not ETL listed.




28" L



28" T

ORDER FRAME ONLY





Product Name: Specify product name to determine height adjustability.
Frame Model: Obtain model information from charts on pricing pages.
Frame Color: Specify **B** (black), **W** (white), **S** (silver).
Switch: **DS** (digital), **PH** (health tracker).



KITA FRAME ONLY

FRAME ONLY WITH 28" CANTILEVER L FEET AND 28" CENTERED T FEET

MODEL	LIST
MID	\$1,436
HI	\$1,545
HIL	\$1,327




M-SERIES
OVERVIEW


SPECIFICATIONS	MR, MC, MV	NESTING	WALL MOUNT	BENCHING
Height Range*	27.6" - 44.1"	28.6" - 45.1"	29.4" - 45.9" **	27.6" - 44.1"
Frame-Only Weight Load	15 - 105 lbs.	15 - 25 lbs.	15 - 60 lbs.	15 - 105 lbs.
Column Selections	UL, L, M, H	UL	UL, L	UL, L, M, H
Base Options	H, LC, X	N	WM	TP, Q
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White	Silver, Black, White

*Including 1.125" worksurface.
**When placed at the recommended height of 3" from the floor.


AVERAGE TASK LOAD WEIGHTS




Monitor
5-7 lbs.



Laptop
5-10 lbs.




Monitor Arm
12-15 lbs.



CPU
18-20 lbs.

COLUMN SELECTION EQUATION



Frame only
Weight Load

- 15 - 32 lbs.
- 33 - 46 lbs.
- 47 - 63 lbs.
- 64 - 81 lbs.
- 82 - 105 lbs.

Column Option


- UL Ultra Light
- ULP Ultra Light+
- L Light
- M Medium*
- H Heavy*

* Not available for Nesting or Wall Mount.


5/16" METAL PLATE	CODE	# OF GLIDES	TABLE DEPTH OPTIONS	WORKSURFACE SHAPE
Organic H	H	6*	24" - 30"	90°, 120°, Rectilinear
Large Clover	LC	4*	24" - 30"	90°, 120°, Rectilinear
Bowtie	BW	6*	30"	Rectilinear
Nesting	N	4*	22"	Petal
Wall Mount	WM	-	18" - 24"	Rectilinear
Tripod Bench	TP	6	18" - 24"	120°
Quad Bench	Q	8	18" - 24"	90°

* Casters available for additional cost.


BASES




H
Organic H




LC
Large Clover




BW
Bowtie



N
Nesting




Q
Quad Benching




TP
Tripod Benching

WORKSURFACE SHAPES




90°




90° S




Rectilinear



120°




120° S




Petal

M-SERIES
FINISHES


HPL WORKSURFACE LAMINATE




KM
Kensington
Maple




RC
River
Cherry




WC
Wild
Cherry




NO
New Age
Oak




BM
Birch
Matrix



DW
Designer
White




FG
Fashion
Grey




NS
North
Sea

HAT Collective proudly offers all WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Extended lead times and pricing changes may apply for laminates not listed above. Worksurface thickness is 1.125".


EDGE FINISHES




CH
Charcoal




LG
Light
Grey




DW
Designer
White




GH
Graphite



NS
North
Sea




FM
Fusion
Maple




ST
Storm

HAT Collective proudly offers all 3mm Rehau edges. Extended lead times and pricing changes may apply for edge finishes not listed above. Non-standard finishes subject to quote.


FRAME FINISHES



S (30)
Silver



B (10)
Black



W (04)
White

ENHANCED DESIGN SOLUTION FINISHES

FRAME FINISHES



M (40)
Mocha




CH
Charcoal



G (20)
Grey


EDGE FINISHES



EP
Exposed Plywood

Enhanced Design Solution Finishes may require engineering approval, minimum order quantities extended lead times, and a price increase. Contact your sales rep for a custom quote.

M-SERIES ORDER FRAME & WORKSURFACE



Product Name: Specify product name to determine height adjustability.
Frame Model: Obtain model information from charts on pricing pages.
Base Option: Specify **H** (organic h), **LC** (large clover), **BW** (bowtie).
Column Option: Specify **UL** (ultra light), **ULP** (ultra light plus), **L** (light), **M** (medium), **H** (heavy).
Frame Color: Specify **B** (black), **W** (white), **S** (silver).
Surface Color: Specify laminate from our list of favorites.
Edge Color: Specify edge color for laminate tops only.




M-SERIES RECTILINEAR



MR WORKSURFACE, COLUMN, & BASE


MODEL	TOP WEIGHT	W	D	<div><div></div><div></div><div></div></div>		
				LC	H	BW
3024	22 lbs.	30"	24"	\$1,575	-	-
3030	28 lbs.	30"	30"	\$1,618	-	-
3624	27 lbs.	36"	24"	\$1,596	\$1,596	-
3630	34 lbs.	36"	30"	\$1,640	\$1,640	-
4224	31 lbs.	42"	24"	\$1,618	\$1,618	-
4230	39 lbs.	42"	30"	\$1,662	\$1,662	-
4824	36 lbs.	48"	24"	-	\$1,640	-
4830	45 lbs.	48"	30"	-	\$1,683	-
5424	40 lbs.	54"	24"	-	\$1,662	-
5430	50 lbs.	54"	30"	-	\$1,727	\$2,063
6030	56 lbs.	60"	30"	-	-	\$2,118



Pricing reflects frame with standard laminate worksurface and edge finishes.


All worksurface sizes reflect actual dimensions.

M-SERIES NESTING



NP WORKSURFACE, COLUMN, & BASE (INCLUDING CASTERS)

MODEL	TOP WEIGHT	W	D	<div><div></div><div></div></div>	
				N	
2822	16 lbs.	28"	22"	\$1,268	



Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

* M-Series Nesting table is only available with an Ultra Light column with a petal shaped top and V shaped nesting base.

NP

NAME

-

2822

MODEL

-

N

FLOOR BASE

-

UL

COLUMN

-

B

FRAME COLOR

-

FG


SURFACE COLOR

-

LG


SURFACE EDGE

M-SERIES 90°



MC WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	<div><div></div><div></div></div>	
				LC	H
362	37 lbs.	36"	24"	\$1,707	-
422	48 lbs.	42"	24"	\$1,629	\$1,629
482	60 lbs.	48"	24"	-	\$1,738



Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

M-SERIES 120°



MV WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	<div><div></div><div></div></div>	
				LC	H
362	45 lbs.	36"	24"	\$1,797	-
422	54 lbs.	42"	24"	-	\$1,797



Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

MV

NAME

-

362

MODEL

-

LC

FLOOR BASE

-

L

COLUMN

-

W

FRAME COLOR

-

FG


SURFACE COLOR

-

LG

SURFACE EDGE

M-SERIES WALL MOUNT




WM WORKSURFACE, COLUMN, & BASE


MODEL	TOP WEIGHT	W	D	WM
2018	12 lbs.	20"	18"	\$1,326
2024	15 lbs.	20"	24"	\$1,337
2418	13.5 lbs.	24"	18"	\$1,337
2424	18 lbs.	24"	24"	\$1,359
3024	22.5 lbs.	30"	24"	\$1,380
3624	27 lbs.	36"	24"	\$1,402
4224	31 lbs.	42"	24"	\$1,434
4824	36 lbs.	48"	24"	\$1,587

Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.



M-SERIES WALL MOUNT WITH TILT




WMT WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	WMT
2018	12 lbs.	20"	18"	\$1,576
2024	15 lbs.	20"	24"	\$1,587
2418	13.5 lbs.	24"	18"	\$1,587
2424	18 lbs.	24"	24"	\$1,609
3024	22.5 lbs.	30"	24"	\$1,631
3624	27 lbs.	36"	24"	\$1,652
4224	31 lbs.	42"	24"	\$1,684
4824	36 lbs.	48"	24"	\$1,761

Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.



WMT

NAME

-

3024

MODEL

-

UL

COLUMN

-

W

FRAME COLOR

-

FG

SURFACE COLOR

-



LG

SURFACE EDGE

M-SERIES QUAD BENCHING




MC-Q WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	 90° S	 90°
2418*	17 lbs.	24"	18"	\$6,792	-
3618*	35 lbs.	36"	18"	\$7,010	-
3624*	37 lbs.	36"	24"	\$7,118	\$7,118
4018*	42 lbs.	40"	18"	\$7,227	-
4024*	45.5 lbs.	40"	24"	\$7,335	\$7,335


Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.



* For straight edge worksurface, add an "s" to the model number. ex: 3618s



M-SERIES TRIPOD BENCHING




MV-TP WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	 120° S	 120°
3618*	43 lbs.	36"	18"	\$6,303	-
3624*	45 lbs.	36"	24"	\$6,358	\$6,358
4018*	51 lbs.	40"	28"	\$6,412	-
4024*	51 lbs.	40"	24"	\$6,466	\$6,466

Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

* For straight edge worksurface, add an "s" to the model number. ex: 3618s



MV-TP

NAME

-

3618s

MODEL

-

L

COLUMN

-

W

FRAME COLOR

-

FG

SURFACE COLOR

-

LG

SURFACE EDGE

ELLEHAVEN

OVERVIEW

SPECIFICATIONS	FRAME ONLY	LAMINATE*	BUTCHERBLOCK**
Height Range	27" – 46.7"	28" – 47.7"	28.75" – 48.45"
Frame-Only Weight Load	450 lbs.	450 lbs.	450 lbs.
Adjustment Speed Per Second	1.5"	1.5"	1.5"
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
Width Options	84", 96", 108", 120"	84", 96", 108", 120"	84", 96", 108", 120"
Depth Options	36", 42", 48"	36", 42", 48"	36", 42", 48"

* Laminate = 1" worksurface.
* Butcherblock = 1.75" worksurface.

ELLE HEIGHT ADJUSTABLE

OVERVIEW

SPECIFICATIONS	FRAME ONLY	LAMINATE*	BUTCHERBLOCK*
Height Range	27" – 46.7"	27" – 46.7" (Enshrined) 28" – 47.7" (Top Mounted)	27" – 46.7" (Enshrined) 28" – 47.7" (Top Mounted)
Available With Sliding Worksurface	No	Yes	Yes
Frame-Only Weight Load	400 lbs.	400 lbs.	400 lbs.
Adjustments Speed Per Second	1.5"	1.5"	1.5"
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
Width Options	60", 72"	60", 72"	60", 72"
Depth Options	30"	30"	30"

* Laminate and Butcherblock = 1" worksurface.

ELLE STATIC

OVERVIEW

SPECIFICATIONS	FRAME ONLY	LAMINATE*	BUTCHERBLOCK*
Height Options	29", 42"	29", 42"	29", 42"
Frame-Only Weight Load	400 lbs.	400 lbs.	400 lbs.
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
Width Options	60", 72"	60", 72"	60", 72"
Depth Options	24," 30"	24," 30"	24," 30"

SWITCH OPTIONS *ELLEHAVEN, ELLE HEIGHT ADJUSTABLE



UD Up Down



DS Digital Switch



PH Personal Health Assistant Tracker

Standard Up/Down switch included.
Additional \$194 charge for DS and \$216 for PH.

ELLEHAVEN & ELLE

FINISHES

HPL WORKSURFACE LAMINATE



KM
Kensington
Maple



RC
River
Cherry



WC
Wild
Cherry



NO
New Age
Oak




BM
Birch
Matrix



DW
Designer
White



FG
Fashion
Grey




NS
North
Sea

HAT Collective proudly offers all WilsonArt®, Pionite®, Nevamar® and Formica® laminates.
Extended lead times and pricing changes may apply for laminates not listed above.
Worksurface thickness is 1".

BUTCHERBLOCK WORKSURFACE



MP
Maple*



BW
Black
Walnut*



OA
Oak*

* Requires custom pricing.


FRAME FINISHES



S (30)
Silver



B (10)
Black



W (04)
White

ENHANCED DESIGN SOLUTION FINISHES

FRAME FINISHES



M (40)
Mocha



CL
Clear



CH
Charcoal



G (20)
Grey

EDGE FINISHES



EP
Exposed Plywood

Enhanced Design Solution Finishes may require engineering approval, minimum order quantities extended lead times, and a price increase. Contact your sales rep for a custom quote.

ELLE HEIGHT ADJUSTABLE FRAME ONLY

EL FRAME ONLY

SURFACE OPTIONS:
FOT Frame Only Top Mounted **FOE** Frame Only Enshrined Mounted **FTS** Frame Only Top Sliding **FES** Frame Only Enshrined Sliding

MODEL	FOT	FOE	FTS	FES	W	D
ADJ	\$2,445	\$2,445	\$2,608	\$2,608	60" - 72"	30"

Frame only for sliding worksurface includes wire management solution. Maximum opening width is 5". Rear fixed worksurface is 9" deep and front sliding worksurface is 21".


ELLE STATIC FRAME ONLY

ELS FRAME ONLY


SURFACE OPTIONS:
FOT Frame Only Top Mounted

MODEL	FOT	W	D
ADJ-28	\$1,474	60" - 72"	24", 30"
ADJ-42	\$1,591	60" - 72"	24", 30"

FOT
Frame Only
Top Mounted



FOE
Frame Only
Enshrined
Mounted



FTS
Frame Only
Top Sliding

FES
Frame Only
Enshrined Sliding

EL

NAME

-

ADJ

MODEL

-

FOT

SURFACE TYPE

-

W

FRAME COLOR

-

UD

SWITCH SELECTION




ELLE

EL FRAME & FIXED WORKSURFACE


SURFACE OPTIONS: **TM** Top Mounted **EM** Enshrined Mounted

MODEL	TM	EM	W	D
6030	\$3,315	\$3,315	60"	30"
7230	\$3,369	\$3,369	72"	30"

Standard Elle does include wire management solution. Available solutions are the Mesh Wire Manager and the Flex Wire Manager.



TM
Top Mounted




EM
Enshrined Mounted

EL FRAME & SLIDING WORKSURFACE


SURFACE OPTIONS: **TS** Top Sliding **ES** Enshrined Sliding

MODEL	TS	ES	W	D
6030	\$3,532	\$3,532	60"	30"
7230	\$3,587	\$3,587	72"	30"


Standard Elle for sliding worksurface includes wire management solution. Maximum opening width is 5". Rear fixed worksurface is 9" deep and front sliding worksurface is 21".



TS
Top Sliding



ES
Enshrined Sliding



EL

NAME

-

6030

MODEL

-

TM

SURFACE TYPE

-

W

FRAME COLOR

-

UD

SWITCH SELECTION

-

DW

SURFACE COLOR

-

DW


SURFACE EDGE (LAMINATE ONLY)

ELLEHAVEN

EH Frame Only, Frame & Worksurface

SURFACE OPTIONS: FO Frame Only LM Laminate

MODEL	FO	LM	W	D
8436	\$4,531	\$5,508	84"	36"
8442	\$4,585	\$5,726	84"	42"
8448	\$4,639	\$5,835	84"	48"
9636	\$4,694	\$5,889	96"	36"
9642	\$4,748	\$6,107	94"	42"
9648	\$4,803	\$6,215	94"	48"
10836	\$4,856	\$6,270	108"	36"
10842	\$4,911	\$6,487	108"	42"
10848	\$4,965	\$6,595	108"	48"
12036	\$4,965	\$6,378	120"	36"
12042	\$5,020	\$6,595	120"	42"
12048	\$5,074	\$6,704	120"	48"



EH

-

9636

-

W

-

UD

-

FO

NAME

MODEL

FRAME
COLOR

SWITCH
SELECTION

SURFACE
MATERIAL



EH

-

9636

-

W

-

UD

-

BB

-

OA

-

NAME

MODEL

FRAME
COLOR






SWITCH
SELECTION

SURFACE
MATERIAL

SURFACE COLOR

SURFACE EDGE
(LAMINATE ONLY)

POWER & DATA BEAM

	MODEL	SIZE	WEIGHT	LIST PRICE
End Post with Foot 	HRPF23-E-__	23" x 3.25" x 3.25"	7 lbs.	\$259
Note: · Post ships with 15" foot				
180 Degree Post with Foot 	HRPF23-180-__	23" x 3.25" x 3.25"	7 lbs.	\$285
Note: · Post ships with 15" foot				
L Post, 2 Way 	HRP24-L-__	24" x 3.25" x 3.25"	5 lbs.	\$224
Note: · Post ships with a leveling glide				
T Post, 3 Way 	HRP24-T-__	24" x 3.25" x 3.25"	5 lbs.	\$247
Note: · Post ships with a leveling glide				
X Post, 4 Way 	HRP24-X-__	24" x 3.25" x 3.25"	5 lbs.	\$269
Note: · Post ships with a leveling glide				

Please specify color:

SI = Silver, WH = White, BK = Black





Add code to end of model number.

Example: **HRP24-L-SI**

Note:

- All posts ship with mounting hardware, connecting hinges and top cap

POWER & DATA BEAM

	MODEL	SIZE	WEIGHT	LIST PRICE
120 Degree 2 Way Post 	HRP24-2-120-__	24" H	3 lbs.	\$243
Note: · Post ships with a leveling glide				
120 Degree 3 Way Post 	HRP24-3-120-__	24" H	3 lbs.	\$267
Note: · Post ships with a leveling glide				
Beam Frame 	HRLB-36-__ HRLB-48-__ HRLB-60-__ HRLB-72-__	6" x 36" x 2.75" 6" x 48" x 2.75" 6" x 60" x 2.75" 6" x 72" x 2.75"	8 lbs. 10 lbs. 12 lbs. 15 lbs.	\$742 \$807 \$872 \$937
Description: · Raceway covers include 2 outlet cutouts and 1 voice/data cutout · Each raceway cover ships with voice/date cover plate and data jack adapter kit · Posts ordered separately · Beam ships pre-marked to accept beam mounted divider clamps				
Cable Management Tray 	CMT2-36-__ CMT2-48-__ CMT2-60-__ CMT2-72-__	4" x 36" 4" x 48" 4" x 60" 4" x 72"	3 lbs. 4 lbs. 5 lbs. 6 lbs.	\$84 \$93 \$102 \$111
Description: · Allows user to lay cables outside of Power Beam · Mounts to underside of beam - one required for each side · Mounts left or right · When ordering for use with a benching system, please order one size smaller than worksurface Example: 72" worksurface: Order a 60" Cable Management Tray · When ordering for use with a power beam, please order the matching size Example: 72" power beam: Order a 72" Cable Management Tray				

Please specify color:

SI = Silver, WH = White, BK = Black





Add code to end of model number.

Example: **HRP24-L-SI**

Note:

- All posts ship with mounting hardware, connecting hinges and top cap

POWER & DATA BEAM

	MODEL	DESCRIPTION	SIZE	WEIGHT	LIST PRICE
Power Trac 	PT-36	Power Trac, 36" with Jumper	36"	4 lbs.	\$282
	PT-48	Power Trac, 48" with Jumper	48"	5 lbs.	\$298
	PT-60	Power Trac, 60" with Jumper	60"	6 lbs.	\$312
	PT-72	Power Trac, 72" with Jumper	72"	7 lbs.	\$329
	Note: <ul style="list-style-type: none">• 4 circuit, 8 wire system• Will accept up to 4 duplex receptacles per Trac (2 per side)				
Duplex Receptacle 	DR-1	Duplex Receptacle, Circuit 1		1 lb.	\$31
	DR-2	Duplex Receptacle, Circuit 2		1 lb.	\$31
	DR-3	Duplex Receptacle, Circuit 3		1 lb.	\$31
	DR-4	Duplex Receptacle, Circuit 4		1 lb.	\$31
	DR-1-T24	Duplex Receptacle, Circuit 1, Title 24		1 lb.	\$36
	DR-2-T24	Duplex Receptacle, Circuit 2, Title 24		1 lb.	\$36
	DR-3-T24	Duplex Receptacle, Circuit 3, Title 24		1 lb.	\$36
	DR-4-T24	Duplex Receptacle, Circuit 4, Title 24		1 lb.	\$36
	CHBX	Chicago Receptacle Box (sold individually)		1 lb.	\$337
	Notes: <ul style="list-style-type: none">• DR models ship in color matching Power Beam• For every Beam or Bench, order 2 CHBX (ie: 3 Beam or Bench x 2 CHBX = 6 CHBX)• CHBX is double sided, and accommodates 2 electrician provided receptacles				
Power Feed 	BFK-E	Base Power Feed Kit, End Entry	72"	5 lbs.	\$256
	BFK-S	Base Power Feed Kit, Side Entry	72"	5 lbs.	\$280
	CFK	Ceiling Power Feed Kit	144"	9 lbs.	\$274
	BFK-E-NY	Base Power Feed Kit, End Entry for New York	72"	10 lbs.	\$446
	Notes: <ul style="list-style-type: none">• BFK-E-NY is stocked in a common size. Special sizes available upon request: please contact your sales rep for more information• For complete Title 24 compliant electrical component, please call your sales rep for more information				
Power Pole 	PP12	Power Pole	144" x 3.25" x 3.25"	6 lbs.	\$618
	Notes: <ul style="list-style-type: none">• Ceiling Power Feed Kit must be ordered separately• Ships with a foot• Includes Ceiling Trim Kit• Can only be installed at end of run				



IVY™
OVERVIEW

UNIVERSALLY RECOGNIZED

The Electrical System is UL Recognized as an Office Furnishing Accessory (UL 1286), and is UL Listed as a Manufactured Wiring System (UL 183) in full compliance with electrical specifications found in the National Electrical Code (NEC). It also complies with municipal standards such as New York, Los Angeles & San Fransisco.

20 AMP PLUG-IN INFEED


Plug-in power entries are limited to 20 Amp circuits only. Requires 20 Amp duplex outlet. Systems are limited to a maximum of 13 duplex receptacles on 1 circuit. UL 1286 recognized only.

CIRCUITRY/KEYING

The Electrical System is rated for 20 amps allowing the use of 4 circuits with 4 line conductors, 2 neutrals and 2 grounds. Standard configurations will be specified as 15A assemblies. 20A is available upon request. Under NEC requirements, up to 13 duplex receptacles maybe used per circuit, with a total of 52 available receptacles if all circuits are used, per single power entry. The line conductors are 12 AWG, and share a 12 AWG ground and a 10 AWG neutral. The fourth circuit is isolated and dedicated, and is serviced by its own line conductor, neutral and isolated ground. Alternate circuit diagrams are available. The Electrical System can be wired in both single and three-phase configurations, 240/120V, 208/120V respectively. Additionally, a 3 hot, 3 neutral, 2 ground (3-3-2) wiring system is available.




3+D WIRING DIAGRAM 208/120V




IVY™ ACTUAL DIMENSIONS


48" POWER BEAM WITH WOODEN OR METAL LEGS & 2 END CAPS




60" POWER BEAM WITH WOODEN OR METAL LEGS & 2 END CAPS




72" POWER BEAM WITH WOODEN OR METAL LEGS & 2 END CAPS




IVY™ AVAILABLE JUNCTIONS



IVY™ CONNECTION CONFIGURATION



IVY™ FINISHING TOUCHES



1. BEAM WOOD VENEER
The top wood veneer runs the length of the beam and is available in Oak and Walnut veneer.

2. END CAP
End caps are used at the end of a power beam that does not have a connection. Double end caps can be used on single stand-alone beams. Available in Oak and Walnut.

MIDDLE CONNECTOR
Connection between two linear beams is achieved with a connection cap. Used on straight runs.


JUNCTION CAP
Any duo, trio, or quad connection is possible with the junction cap. Used in place of an end cap where the beam meets a junction.

3. WOODEN LEGS
Rounded wooded legs are available in Oak and Walnut. All legs come with glides. Optional anchor kit available upon request.


METAL LEGS
Block metal legs are available in Silver and Black. All legs come with glides. Optional anchor kit available upon request.

4. ANCHOR KIT
An anchor kit is available for both steel and wooden legs. Anchor easily hooks above the glide and allows for beam to be permanently fixed to its location.

IVY™ ELECTRICAL CONFIGURATION



IVY™ ELECTRICAL DETAILS




IVY™ POWER BEAM

POWER BEAM WITH FELT PANELS, ELECTRICAL AND LEGS


MODEL	W	WOOD VENEER	LEGS	LIST
IVY-48-OA-OL- XXX	48"	Oak	Wood Oak	\$2,277
IVY-48-OA-WL- XXX	48"	Oak	Wood Walnut	\$2,633
IVY-48-OA-BL- XXX	48"	Oak	Black Metal	\$2,205
IVY-48-OA-SL- XXX	48"	Oak	Silver Metal	\$2,205
IVY-48-WW-OL- XXX	48"	Walnut	Wood Oak	\$2,277
IVY-48-WW-WL- XXX	48"	Walnut	Wood Walnut	\$2,633
IVY-48-WW-BL- XXX	48"	Walnut	Black Metal	\$2,205
IVY-48-WW-SL- XXX	48"	Walnut	Silver Metal	\$2,205
IVY-60-OA-OL- XXX	60"	Oak	Wood Oak	\$2,988
IVY-60-OA-WL- XXX	60"	Oak	Wood Walnut	\$3,344
IVY-60-OA-BL- XXX	60"	Oak	Black Metal	\$2,917
IVY-60-OA-SL- XXX	60"	Oak	Silver Metal	\$2,917
IVY-60-WW-OL- XXX	60"	Walnut	Wood Oak	\$2,988
IVY-60-WW-WL- XXX	60"	Walnut	Wood Walnut	\$3,344
IVY-60-WW-BL- XXX	60"	Walnut	Black Metal	\$2,917
IVY-60-WW-SL- XXX	60"	Walnut	Silver Metal	\$2,917
IVY-72-OA-OL- XXX	72"	Oak	Wood Oak	\$3,272
IVY-72-OA-WL- XXX	72"	Oak	Wood Walnut	\$3,629
IVY-72-OA-BL- XXX	72"	Oak	Black Metal	\$3,202
IVY-72-OA-SL- XXX	72"	Oak	Silver Metal	\$3,202
IVY-72-WW-OL- XXX	72"	Walnut	Wood Oak	\$3,272
IVY-72-WW-WL- XXX	72"	Walnut	Wood Walnut	\$3,629
IVY-72-WW-BL- XXX	72"	Walnut	Black Metal	\$3,202
IVY-72-WW-SL- XXX	72"	Walnut	Silver Metal	\$3,202

Pricing reflects power beam, felt side panels, 4 legs, 1 electrical jumper, 2 double power blocks and block mounts. Setup accepts between 1-8 duplex receptacles per beam.

Minimum Order: 100 units




Ivy With Rounded Wooden Legs



Ivy With Squared Metal Legs

XXX = FELT OPTIONS



FNI
Night

FPE
Pebble

SOLID WOOD LEGS



OAK

WALNUT

METAL LEGS



BLACK


SILVER

IVY™ CAP & JUNCTION


END CAPS & MIDDLE CONNECTOR

MODEL	TYPE	WOOD VENEER	LIST
50302001-EC	(1) End Cap	Oak	\$65
50302002-EC	(1) End Cap	Walnut	\$70
50303001-EJ	(1) Junction Cap	Oak	\$70
50303002-EJ	(1) Junction Cap	Walnut	\$76
50301000-MC	(1) Middle Connector	-	\$180


Pricing reflects power beam, felt side panels, 4 legs, 1 electrical jumper, 2 double power blocks and block mounts. Setup accepts between 1-8 duplex receptacles per beam.



End Cap




Junction Cap



Middle Connector

JUNCTIONS WITH FELT PANELS

MODEL	DEGREE	CONNECT	LIST
120-DUO-XXX	120°	Duo	\$255
120-TRIO-XXX	120°	Trio	\$418
90-DUO-XXX	90°	Duo	\$299
90-TRIO-XXX	90°	Trio	\$473
90-QUAD-XXX	90°	Quad	\$669




XXX = FELT OPTIONS




FNI
Night


FPE
Pebble




120° Duo




120° Trio



90° Duo



90° Trio




90° Quad

IVY™ ELECTRICAL PRICING


HARDWIRED POWER INFEEED

MODEL	L	DESCRIPTION	LIST
BE08092-3-72	72"	Conduit	\$139
BE08180-3-72	72"	Liquid Tight	\$172



DUPLEX RECEPTACLE

MODEL	CIRCUIT	LIST
BE08065-3-A-1-C	Duplex Receptacle Circuit 1	\$23
BE08065-3-A-2-C	Duplex Receptacle Circuit 2	\$23
BE08065-3-A-3-C	Duplex Receptacle Circuit 3	\$23
BE08065-3-A-4-BB	Duplex Receptacle Circuit 4	\$23




Standard power assembly accepts between 1-8 15A duplex receptacles per beam, 1 - 4 per position.

CIRCUITRY/KEYING

The Electrical System is rated for 20 amps allowing the use of 4 circuits with 4 line conductors, 2 neutrals and 2 grounds. Standard configurations will be specified as 15A assemblies. 20A is available upon request. Under NEC requirements, up to 13 duplex receptacles maybe used per circuit, with a total of 52 available receptacles if all circuits are used, per single power entry.

The line conductors are 12 AWG, and share a 12 AWG ground and a 10 AWG neutral. The fourth circuit is isolated and dedicated, and is serviced by its own line conductor, neutral and isolated ground. Alternate circuit diagrams are available. The Electrical System can be wired in both single and three-phase configurations, 240/120V, 208/120V respectively. Additionally, a 3 hot, 3 neutral, 2 ground (3-3-2) wiring system is available.


3+D WIRING DIAGRAM 208/120V



IVY™ ACCESSORIES PRICING


ANCHOR KIT (SET OF 2)

MODEL	COLOR	LIST
50501010	Black	\$52



POWER STRIP, OVERLOAD PROTECTION, SURGE PROTECTION, 6-POWER, 10' COIL, BLACK

MODEL	COLOR	LIST
NLD6PCOIL-B-120	Black	\$248



- 10' 14 AWG Power Cord With Molded Plug Head
- Overload Protection With Reset Switch
- Surge Protection
- Rated 125V, 60Hz, 15A
- 6X Tamper Resistant Outlets
- UI & Cul Certified in USA And Canada. UI 962A Furniture Power Distribution, UI 1449 Surge Protection Devices

POWER STRIP, SURGE PROTECTION, 6-POWER, 10' CORD, BLACK

MODEL	COLOR	LIST
NLD6PSURGE-B-120	Black	\$123



- 10' 14 AWG Power Cord With Molded Plug Head
- Overload Protection With Reset Switch
- Surge Protection
- Rated 125V, 60Hz, 15A
- 6X Tamper Resistant Outlets
- UI & Cul Certified In USA And Canada. UI 962A Furniture Power Distribution, UI 1449 Surge Protection Devices

HAT BENCHING

OVERVIEW

HOW TO ORDER


The HAT Benching System was designed to be very simply and easy to specify, order and install.

To specify, please follow these simple steps:

1. Specify a Dual Benching Unit for either a 48", 60" or 72" worksurface.

This unit includes 2 height adjustable frames (adjusts from 27.25" - 46.75" high) with adjustable glides, 2 horizontal connector bars, a Power Beam and Power Trac with Jumper Connector
2. Specify the Duplex Receptacles, Power Feed type (base or ceiling) and Power Pole (see page 56)
3. Specify a Connector Beam

The 11.25" Beam is used to connect a Dual Benching Unit to an adjoining Benching Unit or a power pole
4. Specify optional Cable Management Tray (see page 55)
5. Specify optional Dividers (see pages 82-95)
6. Specify Worksurfaces (see page 73)

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Dual Benching Unit 	DBUHAT-48-MID-L-__	48"	24" - 30"	118 lbs.	\$3,617
	DBUHAT-60-MID-L-__	60"	24" - 30"	122 lbs.	\$3,709
	DBUHAT-72-MID-L-__	72"	24" - 30"	126 lbs.	\$3,795
	Description: <ul style="list-style-type: none">• Includes 2 height adjustable frames (adjusts 27.5" - 46.75" high)• Includes 2 horizontal connector bars to connect base legs• Includes Power Beam• Includes Power Trac with jumper connector Notes: <ul style="list-style-type: none">• Duplex Receptacles must be ordered separately• Base/Ceiling Power Feed must be ordered separately• Worksurfaces must be ordered separately• Beam or Surfaces Mounted Dividers must be ordered separately• Optional Cable Management Tray must be ordered separately• Available in White, Silver or Black				


Please specify color:
SI = Silver, WH = White, BK = Black


Add code to end of model number.
Example: DBUHAT-48-MID-L-SI

Notes:

- Worksurfaces not included
- Stocked in silver, white, black
- Custom color match available - standard lead times apply

HAT BENCHING

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Chicago Dual Benching Unit 	DBUHAT-48-MID-L-CH-__	48"	24" - 30"	118 lbs.	\$3,369
	DBUHAT-60-MID-L-CH-__	60"	24" - 30"	122 lbs.	\$3,446
	DBUHAT-72-MID-L-CH-__	72"	24" - 30"	126 lbs.	\$3,518
	Description: <ul style="list-style-type: none">• Includes 2 height adjustable frames (adjusts 27.5" - 46.75" high)• Includes 2 horizontal connector bars to connect base legs• Includes Power Beam• Please note CH model numbers do not included power trac with jumper connector Notes: <ul style="list-style-type: none">• Duplex Receptacles must be ordered separately• CHBX must be ordered separately• Base/Ceiling Power Feed must be ordered separately• Worksurfaces must be ordered separately• Beam or Surfaces Mounted Dividers must be ordered separately• Optional Cable Management Tray must be ordered separately• Available in White, Silver or Black				

	MODEL	SIZE	WEIGHT	LIST PRICE
Connector Beam 	BENCH-9 CONNECT-__	6" x 9" x 2.75"	3 lbs.	\$209
	BENCH-10.5 CONNECT-__	6" x 10.0" x 2.75"	3 lbs.	\$209
	BENCH-11.25 CONNECT-__	6" x 11.25" x 2.75"	3 lbs.	\$209
	Description: <ul style="list-style-type: none">• Connects 2 sections of Dual Benching• Jumper cable passed through this beam• 9" Connect Beam is used to connect to Power Pole• 11.25" Connector Beam allows a Mobile Slim Pedestal to fit into the dead space between Dual Benching Units			

Please specify color:
SI = Silver, WH = White, BK = Black

Add code to end of model number.
Example: DBUHAT-48-MID-L-SI


Notes:

- Worksurfaces not included
- Stocked in silver, white, black
- Custom color match available - standard lead times apply

HAT GROUP & CONFERENCE


OVERVIEW

GROUP & CONFERENCE TABLE BASE, 2-STAGE



- Electric height adjustable table base (4 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (42"- 74")
- 2-stage legs adjust from 27.25"- 46.75" (frame height)
- LED 4 position programmable handset
- Quad sync motors / 350 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- UL, CE, TUV and GREENGUARD GOLD Certified
- Qualifies for LEED credits
- Raises at 1.2" per second

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Conference Table Base	HAT4-MID-L-__	72" - 120"	42" - 60"	110 lbs.	\$2,136



- Notes:**
- Ships without feet, includes adjustable glides
 - Stocked only in black

Please specify color:
BK = Black

Add code to end of model number.
Example: HAT4-MID-L-BK

- Notes:**
- Worksurface not included
 - Stocked in black only

WORKSURFACES

OVERVIEW

WORKSURFACE DETAILS


- Edge Detail: 1.125" LPL/TFL Laminate with 2mm PVC Matching Edge
- Standard Laminate Colors: Pinnacle Walnut (PW), Fawn Cypress (FC), Manitoba Maple (MM), Designer White (DW)
- Grommets not offered

IN-STOCK PROGRAM

- Available in the most frequently ordered worksurface options:
Designer White
30" x 48", 30" x 60"
- Ships in 3 - 5 business days
- Worksurfaces must be ordered with a corresponding base/bench
- Quantity 1 to 99 worksurfaces
- Orders under \$2,000 NET will have a freight surcharge
- Orders of 10 worksurfaces or less will have a \$50 palletization charge


STANDARD SHIP PROGRAM

- Available in: 17 size options, 4 laminates
- 10 - 15 business days plus shipping
- Worksurfaces must be ordered with a corresponding base/bench
- Orders under \$2,000 NET will have a freight surcharge
- Orders of 10 worksurfaces or less will have a \$50 palletization charge

	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular 	WS-2424-__	24"	24"	14 lbs.	\$291
	WS-2430-__	24"	30"	19 lbs.	\$296
	WS-2436-__	24"	36"	21 lbs.	\$319
	WS-2442-__	24"	42"	24 lbs.	\$323
	WS-2448-__	24"	48"	28 lbs.	\$335
	WS-2454-__	24"	54"	31 lbs.	\$354
	WS-2460-__	24"	60"	35 lbs.	\$373
	WS-2466-__	24"	66"	38 lbs.	\$503
	WS-2472-__	24"	72"	42 lbs.	\$526
	WS-3030-__	30"	30"	22 lbs.	\$307
	WS-3036-__	30"	36"	26 lbs.	\$321
	WS-3042-__	30"	42"	30 lbs.	\$327
	WS-3048-__	30"	48"	35 lbs.	\$347
	WS-3054-__	30"	54"	39 lbs.	\$360
	WS-3060-__	30"	60"	44 lbs.	\$396
	WS-3066-__	30"	66"	48 lbs.	\$517
	WS-3072-__	30"	72"	53 lbs.	\$535



Please specify color:
PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number.
Example: WS-3072-PW












DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Winston Desk 2 Corner	WNST2-DESK-36-CRN	Up to 35 lbs.	Single Monitor: Up to 32" Dual Monitor: Up to 24"	\$813
	Description: <ul style="list-style-type: none">• Height Adjustment: 13.5"• Upper Worksurface: 36" W x 24" D• Lower Worksurface: 30.1" W x 9.7" D• Base: 20.1" W x 24" D• Retractable lower keyboard and mouse surface• Available in Black			
Winston E-Desk	WNSTE-DESK	Up to 100 lbs.	Single Monitor: Up to 32" Dual Monitor: Up to 24"	\$1,218
	Description: <ul style="list-style-type: none">• Height Adjustment: 19.0"• Upper Worksurface: 32.25" W x 8.5" D• Lower Worksurface: 32.25" W x 11.5" D• Base: 35.5" W x 24.5" D• Electric height adjustment with touchscreen controls and memory• Available in White or Black Notes: <ul style="list-style-type: none">• Specify color: White (WHT) Black (BLK)			






DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Winston Workstation Single	WNST-1-__	7 – 20 lbs.	Up to 43"	\$1,157
	Description: <ul style="list-style-type: none">• Height Adjustment: 17.1"• Worksurface: 30" W x 23" D• Base: 20.7" W x 22" D Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			
Winston Workstation Dual	WNST-2-__	10 – 26 lbs.	Up to 30"	\$1,218
	Description: <ul style="list-style-type: none">• Height Adjustment: 17.1"• Worksurface: 30" W x 23" D• Base: 20.7" W x 22" D Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			
Winston Workstation Triple	WNST-3-__	15 – 36 lbs.	Up to 24"	\$1,456
	Description: <ul style="list-style-type: none">• Height Adjustment: 17.1"• Worksurface: 30" W x 23" D• Base: 20.7" W x 22" D Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			
Winston Workstation Quad	WNST-4-__	24 – 40 lbs.	Up to 24"	\$1,813
	Description: <ul style="list-style-type: none">• Height Adjustment: 17.1"• Worksurface: 30" W x 23" D• Base: 20.7" W x 22" D Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			




DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Winston-E Single	WNSTE-1-270	Up to 40 lbs.	Up to 43"	\$1,718
	Description: <ul style="list-style-type: none">• Height Adjustment: 18.4"• Worksurface: 30" W x 22" D• Base: 16" W x 21" D• Electric height adjustment with memory• Available in Grey Duotone			
Winston-E Dual	WNSTE-2-270	Up to 40 lbs.	Up to 30"	\$1,909
	Description: <ul style="list-style-type: none">• Height Adjustment: 18.4"• Worksurface: 30" W x 22" D• Base: 16" W x 21" D• Electric height adjustment with memory• Focal depth and independent monitor height adjustments• Available in Grey Duotone			
Winston-E Triple	WNSTE-3-270	Up to 40 lbs.	Up to 24"	\$2,065
	Description: <ul style="list-style-type: none">• Height Adjustment: 18.4"• Worksurface: 30" W x 22" D• Base: 16" W x 21" D• Electric height adjustment with memory• Focal depth and independent monitor height adjustments• Available in Grey Duotone			

DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
One Touch Single Freestand 	700-0-1328-1028-01	100 lbs. total, 25 lbs. per monitor	Up to 43"	\$2,050
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 13" D x 28" W• Lower Worksurface: 10" D x 28" W• Mount: Freestanding			
One Touch Dual Freestand 	700-0-1328-1028-02	100 lbs. total, 25 lbs. per monitor	Up to 30"	\$2,225
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 13" D x 28" W• Lower Worksurface: 10" D x 28" W• Mount: Freestanding			
One Touch Dual Ultra 	700-FCG-1336-1336-02	100 lbs. total, 25 lbs. per monitor	Up to 30"	\$2,569
	700-FCG-1336-1736-02	100 lbs. total, 25 lbs. per monitor	Up to 30"	\$2,591
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 13" D x 36" W• Lower Worksurface: 13" D x 36" W or 17" D x 36" W• Mount: Flush, Clamp, Grommet			
One Touch Triple Ultra 	700-FCG-1336-1336-03	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$2,683
	700-FCG-1336-1736-03	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$2,701
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 13" D x 36" W• Lower Worksurface: 13" D x 36" W or 17" D x 36" W• Mount: Flush, Clamp, Grommet			
One Touch Quad Ultra 	700-FCG-1336-1336-04	100 lbs. total, 25 lbs. per monitor	Up to 19"	\$2,843
	700-FCG-1336-1736-04	100 lbs. total, 25 lbs. per monitor	Up to 19"	\$2,865
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 13" D x 36" W• Lower Worksurface: 13" D x 36" W or 17" D x 36" W• Mount: Flush, Clamp, Grommet			

DESKTOP CONVERTERS



	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
One Touch One over Three Ultra 	700-FCG-1336-1336-13	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$2,853
	700-FCG-1336-1736-13	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$2,878
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 13" D x 36" W• Lower Worksurface: 13" D x 36" W or 17" D x 36" W• Mount: Flush, Clamp, Grommet			
One Touch Two over Two Ultra 	700-FCG-1336-1336-22	100 lbs. total, 25 lbs. per monitor	Up to 30"	\$3,116
	700-FCG-1336-1736-22	100 lbs. total, 25 lbs. per monitor	Up to 30"	\$3,141
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 13" D x 36" W• Lower Worksurface: 13" D x 36" W or 17" D x 36" W• Mount: Flush, Clamp, Grommet			
One Touch Three over Three Ultra 	700-FCG-1336-1336-33	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$3,442
	700-FCG-1336-1736-33	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$3,466
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 13" D x 36" W• Lower Worksurface: 13" D x 36" W or 17" D x 36" W• Mount: Flush, Clamp, Grommet			

DIVIDERS







Create privacy in any open environment with our easy-to-install partitions. Dividers add spatial barriers and distinctive design to an office landscape, prioritizing both functionality and aesthetic. Choose from opaque or transparent, permanent or portable to take advantage of the protection, acoustic control, and flexibility provided by HAT Collective dividers.







SURFACE MOUNTED DIVIDERS
IN-STOCK

	MODEL	H	W	LIST PRICE
PET Dividers	EDDI-PET-4824-S	24"	48"	\$394
	EDDI-PET-6024-S	24"	60"	\$463
	Description: <ul style="list-style-type: none">• Tackable PET Divider .75" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Easily clamps onto surfaces .75" - 1.87"• Mounting hardware included (silver finish)• Orders over 50, please check stock Notes: <ul style="list-style-type: none">• Specify color - "Ash" (SP-18) or "Slate" (SP-33)			
Mesa Slide Divider	SD-2424-_____	24"	24"	\$387
	Description: <ul style="list-style-type: none">• Above desk height: 24"• Tackable PET Divider 1.125" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Easily slides onto surfaces 1.125" thick (1.125" opening for desk)• Orders over 50, please check stock Notes: <ul style="list-style-type: none">• Specify color - "Ash" (ASH) or "Slate" (SLATE)			



SURFACE MOUNTED DIVIDERS
STANDARD

	MODEL	H	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
White Board Dividers  	WDD-WB-__-12	12"	\$439	\$489	\$529	\$567	\$605	\$762	\$775	\$892	\$935
	WDD-WB-__-18	18"	\$516	\$579	\$691	\$723	\$739	\$1087	\$1098	\$1233	\$1304
	WDD-WB-__-24	24"	\$580	\$664	\$732	\$827	\$846	\$1136	\$1155	\$1290	\$1364
	Description: <ul style="list-style-type: none">• White board .7" thick, square corners• Easily clamps onto surfaces .75" - 1.87"• Mounting hardware included (silver finish) - 66"W and over ship with 3 clamps Notes: <ul style="list-style-type: none">• Lead time on all orders: 4 weeks										
Mesa Acrylic Dividers  	ADD-__-12	12"	\$333	\$367	\$387	\$425	\$452	\$471	\$520	\$612	\$638
	ADD-__-18	18"	\$394	\$440	\$483	\$539	\$567	\$628	\$666	\$771	\$827
	ADD-__-24	24"	\$443	\$516	\$546	\$661	\$663	\$691	\$828	\$935	\$936
	Description: <ul style="list-style-type: none">• Frosted Acrylic .25" thick, radius corners• Easily clamps onto surfaces .75" - 1.87"• Mounting hardware included (silver finish) - 66"W and over ships with 3 clamps Notes: <ul style="list-style-type: none">• Lead time on all orders: 4+ weeks										
Acrylic Modesty Panel  	AMP-__-12	12"	N/A	N/A	\$326	\$365	\$392	\$409	\$459	\$519	\$546
	AMP-__-18	12"	N/A	N/A	\$422	\$478	\$507	\$562	\$606	\$677	\$736
	Description: <ul style="list-style-type: none">• Frosted Acrylic .25" thick, radius corners• Easily mounted under the worksurface• Mounting hardware included (silver finish) Notes: <ul style="list-style-type: none">• Lead time on all orders: 4+ weeks										





DIVIDER CLAMPS

	MODEL	LIST PRICE
Adjustable Divider Clamps 	ADC (1 pair)	\$110
Description: <ul style="list-style-type: none">• Allows surface mounted dividers to adjust up or down• Mounts to underside of surface• For use with dividers .2" - 1.1" thick• For use with PET & Fabric Fold Dividers• Silver finish• Must be used with surface mounted dividers 30" H Notes: <ul style="list-style-type: none">• Lead time on orders of 19 or less: 2-3 weeks• Lead time on orders of 20 or more: 4 weeks• Sold with accompanying divider only		
Offset Bracket Plates 	ADC-OSB (1 pair)	No Charge
Description: <ul style="list-style-type: none">• The offset bracket plate allows for a .5" gap from worksurface to divider, providing extra room for a clamp mounted monitor arm or power module. Notes: <ul style="list-style-type: none">• Shipped upon request only		
Gallery End Panel Bracket Kit 	GPBRKT-KIT-__	\$194
Description: <ul style="list-style-type: none">• Allows gallery panels to be attached to power/data beam end post (gallery panels not sold by HAT)• Kit includes two clamps• Gallery panels not to exceed 36" H or 63" W Notes: <ul style="list-style-type: none">• Specify color: Silver (SI) White (WH) Black (BK)		
Gallery End Panel Bench Bracket Kit 	GPBRKT-KIT-BENCH-__	\$194
Description: <ul style="list-style-type: none">• Allows gallery panels to be attached to the end of a benching unit (gallery panels not sold by HAT)• Kit includes two clamps• Gallery panels not to exceed 36" H or 63" W Notes: <ul style="list-style-type: none">• Specify color: Silver (SI) White (WH) Black (BK)		

BEAM MOUNTED DIVIDERS
IN-STOCK

	MODEL	H	W	LIST PRICE
PET Dividers	EDDI-PET-4824-B	24"	48"	\$316
	EDDI-PET-6024-B	24"	60"	\$385
<div><div></div><div></div></div> <div><p>Description:</p><ul style="list-style-type: none">• Tackable PET Divider .75" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Mounting hardware included (silver finish)<p>Notes:</p><ul style="list-style-type: none">• Specify color - "Ash" (SP-18) or "Slate" (SP-33)</div>				

BEAM MOUNTED DIVIDERS
STANDARD

	MODEL	H	36"W	42"W	48"W	54"W	60"W	66"W	72"W
PET Dividers	HRED-PET-__-12	12"	\$387	\$418	\$458	\$489	\$514	\$669	\$691
	HRED-PET-__-18	18"	\$475	\$496	\$576	\$598	\$622	\$840	\$863
	HRED-PET-__-24	24"	\$520	\$630	\$653	\$677	\$709	\$1035	\$1058
<div><div></div><div></div></div> <div><p>Description:</p><ul style="list-style-type: none">• Tackable PET Divider .75" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Mounting hardware included (silver finish) - 66" W and over ships with 3 clamps<p>Notes:</p><ul style="list-style-type: none">• Specify color - Pear, Cobalt, Sandstone, Ash, Slate, Charcoal• Lead time on orders of 19 or less: 2-3 weeks• Lead time on orders of 20 or more: 4 weeks</div>									
Fabric Fold Dividers	Elements Line (Grade 1 Fabric)								
	HRFD-FF-__-12	12"	\$494	\$535	\$565	\$633	\$649	\$815	\$884
	HRFD-FF-__-18	18"	\$691	\$739	\$763	\$905	\$924	\$1197	\$1314
	HRFD-FF-__-24	24"	\$729	\$809	\$839	\$964	\$991	\$1256	\$1392
	Fusion Line (Grade 2 Fabric)								
	HRFD-FF-__-12	12"	\$535	\$583	\$612	\$691	\$707	\$884	\$963
	HRFD-FF-__-18	18"	\$769	\$827	\$867	\$1034	\$1056	\$1333	\$1435
	HRFD-FF-__-24	24"	\$809	\$905	\$943	\$1083	\$1114	\$1403	\$1540
<div><div></div><div></div></div> <div><p>Description:</p><ul style="list-style-type: none">• Tackable fabric, .87" thick, radius corners• .30 NRC rating• Mounting hardware included (silver finish). 66" W and over ships with 3 clamps• Special sizes available: Please contact your sales rep<p>Notes:</p><ul style="list-style-type: none">• Specify fabric color• Lead time on orders of 19 or less: 2-3 weeks• Lead time on orders of 20 or more: 4 weeks</div>									

BEAM MOUNTED DIVIDERS
STANDARD


	MODEL	H	36"W	42"W	48"W	54"W	60"W	66"W	72"W
White Board Dividers	HRD-WB-__-12	12"	\$469	\$508	\$546	\$704	\$716	\$785	\$846
	HRD-WB-__-18	18"	\$633	\$663	\$681	\$1027	\$1039	\$1143	\$1216
	HRD-WB-__-24	24"	\$681	\$767	\$786	\$1077	\$1096	\$1199	\$1274



Description:
• White board .7" thick, square corners
• Mounting hardware included (silver finish) - 66" W and over ship with 3 clamps
• Special sizes available: Please call your sales rep

Notes:
• Lead time on all orders: 4 weeks

Mesa Acrylic Dividers	HRAD-__-12	12"	\$328	\$366	\$394	\$411	\$462	\$521	\$549
	HRAD-__-18	18"	\$424	\$479	\$508	\$563	\$608	\$681	\$738
	HRAD-__-24	24"	\$486	\$603	\$606	\$633	\$770	\$844	\$849



Description:
• Frosted Acrylic .25" thick, radius corners
• Mounting hardware included (silver finish) - 66" W and over ships with 3 clamps
• Special sizes available: Please call your sales rep


Notes:
• Lead time on all orders: 4 weeks



AURA® OVERVIEW


SPECIFICATIONS	AURA
Overall Height	23"
Width	46", 58", 70", or 92"
Material	PET
Thickness	9mm (.35")
Edge	Beveled Felt
Environmental	50% from recycled water bottles, Declare Certified
Acoustics	ASTM C 423: NRC [500hz] = .76 NRC [1000hz] = 1
Fire Rating	UL tested ASTM E-84: Class A

- XL - 92" X 23"**
8 Brackets
\$1,250
- L - 70" X 23"**
6 Brackets
\$1,196
- M - 58" X 23"**
5 Brackets
\$799
- S - 46" X 23"**
4 Brackets
\$642




AURA® FINISHES

AURA COLORS



BRACKET FINISHES




AURA® PRICING

RECTILINEAR WORKSURFACE

LEFT SIDE RETURN / CENTER COVERAGE / RIGHT SIDE RETURN
Dimensions based on 7/8" gap rear with flush on sides


W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
48"	30"	21.5" / 48" / 21.5"	10.8" / 48" / 10.8"	4.8" / 48" / 4.8"	46" back edge only
60"	30"	15.5" / 60" / 15.5"	4.8" / 60" / 4.8"	0" / 58.0" / 0"	46" back edge only
72"	30"	9.5" / 72" / 9.5"	0" / 70" / 0"	58" back edge only	46" back edge only
84"	30"	3.5" / 84" / 3.5"	70" back edge only	58" back edge only	46" back edge only
96"	30"	0" / 92" / 0"	70" back edge only	58" back edge only	46" back edge only



90° WORKSURFACE

LEFT SIDE RETURN / LEFT BACK / RIGHT BACK / RIGHT SIDE RETURN
Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
36"	30"	10.1" / 36" / 36" / 10.1"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"
42"	30"	4.1" / 42" / 42" / 4.1"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"
48"	30"	0" / 46" / 46" / 0"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"



120° WORKSURFACE

LEFT SIDE RETURN / LEFT BACK / RIGHT BACK / RIGHT SIDE RETURN
Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
36"	30"	9.7" / 36" / 36" / 9.7"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"
42"	30"	3.7" / 42" / 42" / 3.7"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"
48"	30"	0" / 46" / 46" / 0"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"



AS2

NAME

-

XL

MODEL

-

FLA

COLOR

-

8

BLACK
BRACKETS

-

S

OUTER
FASTENERS

Outer fasteners are available in (S) silver or (B) black.




MONITOR ARMS

Our sophisticated monitor arms provide ergonomics, space savings, and clever design. Here, you'll find one-touch adjustment, effortless movement, and sure-footed stability to support a multitude of screen configurations. Reclaim your desktop with our sleek mounting systems that are easy to install.




MONITOR ARMS STATEMENT OF LINE

MONITOR ARMS




MONITOR ARMS
STATEMENT OF LINE


MOUNTS & ACCESSORIES




Thru-Desk Conversion Kit
for Top Down Mounts




Charging Cap




Charging Cap E2 Dual



Height Adjust Adapter











Next Gen Tilter










Slider





	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE	
	Envoy Single	ENVOY-1-__ _	2.2 - 19.8 lbs.	Up to 32"	\$293
	<p>Description:</p> <ul style="list-style-type: none">• Mounting: desk clamp or bolt thru-mount, desk thickness up to 3.3"• Height adjustment: 13.2"• Extension range: 23.7" <p>Notes:</p> <ul style="list-style-type: none">• Specify color: Black (BLK) Silver (SLV) White (WHT)• Lead time on orders of 50 or less: 3 days• Orders over 50, please check stock				
	Envoy Dual	ENVOY-2-__ _	2.2 - 19.8 lbs. per monitor	Up to 32"	\$561
	<p>Description:</p> <ul style="list-style-type: none">• Mounting: desk clamp or bolt thru-mount, desk thickness up to 3.3"• Height adjustment: 13.2"• Extension range: 23.7" <p>Notes:</p> <ul style="list-style-type: none">• Specify color: Black (BLK) Silver (SLV) White (WHT)• Lead time on orders of 50 or less: 3 days• Orders over 50, please check stock				
	E2 Single	E2-1-__ _	Flat panel: 2.2 - 19lbs. Curved monitor: Up to 16 lbs	Up to 32"	\$316
	<p>Description:</p> <ul style="list-style-type: none">• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"• Height adjustment: 15"• Extension range: 19.6" <p>Notes:</p> <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)				
	E2 Dual	E2-2-__ _	Flat panel: 2.2 - 19lbs. Curved monitor: Up to 16 lbs	Up to 27"	\$586
	<p>Description:</p> <ul style="list-style-type: none">• Mounting: Top down desk mount: clamps to desk edge, desk thickness up to 1.5"• Height adjustment: 15"• Extension range: 19.6" <p>Notes:</p> <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)				


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE	
	7000 Single	7000-500-___	Flat panel: 3 - 10lbs. Curved monitor: Up to 10 lbs	Up to 32"	\$402
		7000-800-___	Flat Panel: 10 - 22 lbs. Curved monitor: Up to 22 lbs	Up to 32"	\$402
		7000-1000-___	Flat Panel: 13 - 28 lbs. Curved monitor: Up to 22 lbs	Up to 32"	\$402
<p>Description:</p> <ul style="list-style-type: none">• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"• Height adjustment: 16"• Extension range: 24" <p>Notes:</p> <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)					
	7000 Dual	7000-8408-500-___	3 - 10 lbs. per monitor	Up to 32"	\$784
		7000-8408-800-___	10 - 22 lbs. per monitor	Up to 32"	\$784
<p>Description:</p> <ul style="list-style-type: none">• Mounting: desk clamp, thru-mount, grommet mount• Height adjustment: 16"• Extension range: 24" <p>Notes:</p> <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)					
	7000 Dual Crossbar	7000-1-8537H-___	6 - 14 lbs. per monitor	Up to 27"	\$551
	<p>Description:</p> <ul style="list-style-type: none">• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5" <p>Notes:</p> <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)				
	7500	7500-500-___	2 - 13 lbs.	Up to 43"	\$614
		7500-800-___	6 - 21 lbs.	Up to 43"	\$614
		7500-1000-___	8 - 27 lbs.	Up to 43"	\$614
		7500-1500-___	12 - 40 lbs.	Up to 43"	\$614
<p>Description:</p> <ul style="list-style-type: none">• Mounting: Desk edge, thru-desk, grommet, wall, reverse wall, side bolt• Height adjustment: 18"• Extension range: 27" <p>Notes:</p> <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)					


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx Single 	STX-01S-___	1 - 30 lbs.	Up to 50"	\$292
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	Notes: · Specify color: Black (104) Silver (124) White (248)			
Staxx Dual 	STX-02S-___	1 - 20 lbs. per monitor	Up to 24"	\$665
	STX-02W-___	1 - 20 lbs. per monitor	24" - 30"	\$733
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	Notes: · Specify color: Black (104) Silver (124) White (248)			
Staxx Triple 	STX-03S-___	1 - 15 lbs. per monitor	Up to 24"	\$791
	STX-03W-___	1 - 15 lbs. per monitor	24" - 30"	\$843
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	Notes: · Specify color: Black (104) Silver (124) White (248)			
Staxx 1 Over 1 	STX-11S-___	1 - 20 lbs. per monitor	Up to 30"	\$767
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	Notes: · Specify color: Black (104) Silver (124) White (248)			


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx 2 Over 2 	STX-22S-___	1 - 15 lbs. per monitor	Up to 24"	\$920
	STX-22W-___	1 - 15 lbs. per monitor	24" - 30"	\$952
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	Notes: · Specify color: Black (104) Silver (124) White (248)			
Staxx 3 Over 3 	STX-33S-___	1 - 10 lbs. per monitor	Up to 24"	\$1,331
	STX-33W-___	1 - 10 lbs. per monitor	24" - 30"	\$1,382
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	Notes: · Specify color: Black (104) Silver (124) White (248)			
Staxx Dual Articulating 	STX-450-___	10 - 23 lbs. per monitor	Up to 27"	\$867
	STX-500-___	3 - 10 lbs. per monitor	Up to 27"	\$867
	STX-600-___	7 - 17 lbs. per monitor	Up to 27"	\$867
	STX-800-___	10 - 22 lbs. per monitor	Up to 27"	\$867
	STX-1000-___	13 - 28 lbs. per monitor	Up to 27"	\$867
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	Notes: · Specify color: Black (104) Silver (124) White (248)			


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx Dual Articulating with laptop 	STX-450-8510-___	10 – 23 lbs. per monitor	Up to 27"	\$1,047
	STX-500-8510-___	3-10 lbs. per monitor	Up to 27"	\$1,047
	STX-600-8510-___	7 – 17 lbs. per monitor	Up to 27"	\$1,047
	STX-800-8510-___	10 – --22 lbs. per monitor	Up to 27"	\$1,047
	STX-1000-8510-___	13 – 28 lbs. per monitor	Up to 27"	\$1,047
Description: • Supports 3 – 13.5 lb laptop • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				


Staxx Dual w/Sliders 	STX-02-SLD-___	20 lbs. per monitor	Up to 27"	\$500
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				


Staxx Dual Articulating w/Sliders 	STX-2-500-SLD-___	3-10 lbs. per monitor	Up to 27"	\$860
	STX-2-800-SLD-___	20 lbs. per monitor	Up to 27"	\$860
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				


Staxx Triple w/Sliders 	STX-3S-500-SLD-___	3-10 lbs. per monitor	Up to 27"	\$1,005
	STX-3S-800-SLD-___	20 lb. per monitor	Up to 27"	\$1,005
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				




	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx Dual Laptop w/Slider 	STX-2-500-8510-___	3 – 10 lbs. per monitor	Up to 27"	\$987
	STX-2-800-8510-___	20 lbs. per monitor	Up to 27"	\$987
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

E2 Connex Single 	E2-01-SD-___	Flat panel: 2.2 – 20 lbs. Curved monitor: Up to 16 lbs.	Any size within weight capacity	\$466
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

E2 Connex Dynamic Dual 	E2-02-D-___	2.2 – 20 lbs. per monitor	Up to 32" (bezel measured left to right)	\$823
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

E2 Connex Dynamic Dual Wide 	E2-02-SD-___	2.2 – 20 lbs. per monitor	Up to 39" (bezel measured left to right)	\$945
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

E2 Connex Dynamic Triple 	E2-03-SD-___	2.2 – 20 lbs. per monitor	Up to 28.5" (bezel measured left to right)	\$1,061
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE	
	E2 Connex Static Dual	E2-02-SS-__	2.2 - 20 lbs. per monitor	Up to 37" (bezel measured left to right)	\$710
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
	Notes: · Specify color: Black (104) Silver (124) White (248)				
	E2 Connex Static Triple	E2-03-SS-__	2.2 - 20 lbs. per monitor	Up to 27.5" (bezel measured left to right)	\$835
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
	Notes: · Specify color: Black (104) Silver (124) White (248)				
	E2 Connex One Over One	E2-11-HD-__	See description	See description	\$327
	Description: · Mounting:Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5" · Weight capacity: Flat Panel Monitors: Up to 40 lbs. per monitor Curved Monitors: 0 - 26.5 lbs. per monitor · Screen size: One Flat Panel Monitor: Up to 43" (16:9 aspect ratio) Two Flat Panel Monitors: Up to 49" (21:9 aspect ratio) Two Curved Monitors: Up to 49" (21:9 aspect ratio)				
	Notes: · Specify color: Black (104) Silver (124) White (248)				












STORAGE





Stay organized and keep your belongings secure with HAT storage units. Our mobile pedestals are heavy-duty, lockable, and comfortably accommodate your office supplies. Slide your mobile storage unit underneath your worksurface for easy, out-of-the-way access.



STORAGE
STATEMENT OF LINE

STORAGE

					
HAT Mobile Pedestal Slim (10.6")	HAT Mobile Pedestal (15")	HAT Pedestal Cushions	Collective Storage Mobile Locker	Collective Storage Mobile Pedestal Slim (12")	Collective Storage Mobile Pedestal (15")
					
Collective Storage Mobile Credenza (30")	Collective Storage Mobile Credenza (48")	Collective Storage Cushions			





	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
HAT Mobile Pedestal Slim 	MPEDBF-10-__	10.6"	22"	21"	55 lbs.	\$605
	Description: <ul style="list-style-type: none">• Mobile Box/File Pedestal• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking)• Stocked in silver, white and black Notes: <ul style="list-style-type: none">• Key alike available (add \$10 to list)• Master/Core Key available (add \$10 to list)					
HAT Mobile Pedestal 	MPEDBF-15-__	15"	22"	21"	65 lbs.	\$605
	Description: <ul style="list-style-type: none">• Mobile Box/File Pedestal• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking)• Stocked in silver, white and black Notes: <ul style="list-style-type: none">• Key alike available (add \$10 to list)• Master/Core Key available (add \$10 to list)					
HAT Pedestal Slim Cushion 	MPEDCUS-10 <small>(in-stock)</small>	10.6"	22"	1.5"	5 lbs.	\$128
	MPEDCUS-10 <small>(standard)</small>	10.6"	22"	1.5"	5 lbs.	\$134
	Description: <ul style="list-style-type: none">• Pedestal seat cushion• High density foam• Laminated plywood understructure• Attached with velcro• Stocked in #15-13 charcoal fabric Notes: <ul style="list-style-type: none">• Other colors available: 8 week lead time• 50 QTY minimum order for non-stocked colors					
HAT Pedestal Cushion 	MPEDCUS-15 <small>(in-stock)</small>	15"	22"	1.5"	6 lbs.	\$128
	MPEDCUS-15 <small>(standard)</small>	15"	22"	1.5"	6 lbs.	\$134
	Description: <ul style="list-style-type: none">• Pedestal seat cushion• High density foam• Laminated plywood understructure• Attached with velcro• Stocked in #15-13 charcoal fabric Notes: <ul style="list-style-type: none">• Other colors available: 8 week lead time• 50 QTY minimum order for non-stocked colors					

Please specify color:

SI = Silver, WH = White, BK = Black

Add code to end of model number.

Example: **MPEDBF-15-SI**






	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
Collective Storage Mobile Locker 	STG-LKR-12-__	12"	20"	24"	35 lbs.	\$839
	Description: <ul style="list-style-type: none">• Mobile locker• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight• Available in silver, white and black Notes: <ul style="list-style-type: none">• 50 QTY minimum order					
Collective Storage Mobile Pedestal Slim 	STG-PED-12-__	12"	20"	24"	62 lbs.	\$946
	Description: <ul style="list-style-type: none">• Mobile box/file pedestal• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight• Available in silver, white and black Notes: <ul style="list-style-type: none">• 50 QTY minimum order					
Collective Storage Mobile Pedestal 	STG-PED-15-__	15"	20"	24"	69 lbs.	\$987
	Description: <ul style="list-style-type: none">• Mobile box/file pedestal• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight• Available in silver, white and black Notes: <ul style="list-style-type: none">• 50 QTY minimum order					
Collective Storage Mobile Credenza (30") 	STG-CRD-30-__	30"	15"	24"	53 lbs.	\$1,372
	Description: <ul style="list-style-type: none">• Mobile credenza• Includes shelving and sliding door• Includes casters (2 locking, 2 non-locking)• Available in silver, white and black Notes: <ul style="list-style-type: none">• 50 QTY minimum order					

Please specify color:

SI = Silver, WH = White, BK = Black

Add code to end of model number.

Example: **STG-PED-15-SI**

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
<div>Collective Storage Mobile Credenza (48")</div> <div></div>	STG-CRD-48-__	48"	20"	27"	117 lbs.	\$2,515
<div>Description:</div> <div><ul style="list-style-type: none">• Includes shelving and 2 drawers• Includes lock and key• Includes casters (2 locking, 4 non-locking)• Available in silver, white and black</div> <div>Notes:</div> <div><ul style="list-style-type: none">• 50 QTY minimum order</div>						
<div>Collective Storage Locker/Pedestal Slim Cushion (12")</div> <div></div>	STG-CUS-12-__-__	12"	20"	1.5"	3 lbs.	\$184
<div>Description:</div> <div><ul style="list-style-type: none">• Locker/pedestal seat cushion• High density foam• Attached with velcro</div> <div>Notes:</div> <div><ul style="list-style-type: none">• 50 QTY minimum order</div>						
<div>Collective Storage Pedestal Cushion (15")</div> <div></div>	STG-CUS-15-__-__	15"	20"	1.5"	4 lbs.	\$209
<div>Description:</div> <div><ul style="list-style-type: none">• Pedestal seat cushion• High density foam• Attached with velcro</div> <div>Notes:</div> <div><ul style="list-style-type: none">• 50 QTY minimum order</div>						
<div>Collective Storage Credenza Cushion (30")</div> <div></div>	STG-CUS-30-__-__	30"	15"	1.5"	6 lbs.	\$216
<div>Description:</div> <div><ul style="list-style-type: none">• Credenza seat cushion• High density foam• Attached with velcro</div> <div>Notes:</div> <div><ul style="list-style-type: none">• 50 QTY minimum order</div>						
<div>Collective Storage Credenza Cushion (48")</div> <div></div>	STG-CUS-48-__-__	48"	20"	1.5"	12 lbs.	\$413
<div>Description:</div> <div><ul style="list-style-type: none">• Credenza seat cushion• High density foam• Attached with velcro</div> <div>Notes:</div> <div><ul style="list-style-type: none">• 50 QTY minimum order</div>						

Please specify color:
SI = Silver, WH = White, BK = Black

Add code to end of model number.
Example: STG-PED-15-SI



SEATING

HAT Collective offers everything you need to work your way, including our original ergonomic seating solution. Every body is different. Our HAT Collective seating adapts to an individual's natural movement making for a fluid and supportive experience.







	MODEL	LIST PRICE
	IKU-B-M1H-JET-S1BB	\$917
	IKU-B-M2H-IRON-S1BB	\$917
	IKU-B-M3H-ALLOY-S1BB	\$917
	IKU-B-M1H-JET-S1PB	\$1,150
	IKU-B-M2H-IRON-S1PB	\$1,150
	IKU-B-M3H-ALLOY-S1PB	\$1,150
	IKU-W-M1H-JET-S1PB	\$1,300
	IKU-W-M2H-IRON-S1PB	\$1,300
	IKU-W-M3H-ALLOY-S1PB	\$1,300
	Description: Weight Range: 300 lbs Armrest Adjustment Range: 7.5" - 10.5" (top of armrest to top of seat pan) Armrests Lock: 11 increment positions Black Nylon Base: 16.8" - 20.5" Polished Aluminum Base: 16.2" - 19.9" Seatback Adjustment Range: 95° - 129°, 4 position back lock Seat Depth Adjustment: 2.3"	
	Notes: • Frame: Black (B), White (W) • Mesh: Black (M1H), Dark Grey (M2H), Light Grey (M3H) • Seat Upholstery: Jet (JET), Alloy (ALLOY), Iron (IRON) • Base: Black Nylon (S1BB), Polished Aluminum (S1PB)	

ACCESSORIES

Our collection of accessories ensures you get the most out of your workspace. Manage and organize wires, mobilize your keyboard, or mount your CPU. We have everything you need to complete your desk, personalizing your workstation to function for you.



	MODEL	WEIGHT	LIST PRICE
Wire Management Trough 	WMT-SI Description: <ul style="list-style-type: none">• Large capacity supports multiple wires, cables and a power strip• Multiple cable pass through ports offers versatile cable management• Trough hinges open, allowing for easy access and installation• Heavy-duty steel construction• 30" W x 3" H x 4" D• Available in silver	6 lbs.	\$192
Wire Management Sleeve 	WMS-42 Description: <ul style="list-style-type: none">• Expandable zip up nylon mesh management sleeve• 42" length• Available in black	1 lb.	\$45
Senko Task Light 	SENKO-1-__ Description: <ul style="list-style-type: none">• LED• 11 watts• 15,000 hours light lifespan• 3000k color temperature• 3-way touch dimmer (10%, 50%, 100%)• Base dimension: Ø 5.9"• Freestanding• ETL, FCC and CEC certified Notes: <ul style="list-style-type: none">• Specify color: White (WHT) Silver (SLV) Black (BLK)	5.5 lbs.	\$255
Docking Station 	DS-1-BLK DS-1-CM-BLK (w/Clamp Mount) DS-1-VM-BLK (w/VESA Mount) Description: <ul style="list-style-type: none">• Mac and PC compatible• Dimensions: 3.75" W x 3.75" D x 1.33" H• Docking Interface: USB-C 3.1• Interfaces: (2) HDMI 1.4, (3) USB-A 3.1 Gen 1, (1) RJ45 Port, (1) Audio Jack In/Out• Single Display Resolution: 2560 x 1440 @ 50Hz• Dual Display Resolution: 1920 x 1080 @ 60Hz• Audio: 2.1 Channel• Ethernet: Type 10/100/100 Base-T• PD Charging: 85W• Power Adapter: AC 100/240V		\$811 \$965 \$921

1. VERTICAL WIRE MANAGEMENT SYSTEM

Exclusive to S-Collection workstations, the Vertical's flexible design manages wires on a vertical plane through a BIFMA-required range. The main unit attaches to the leg with magnets, allowing for flexibility of mounting and reconfiguration.

* Not compatible with panel integration or HAT bases.

439900-__
Black, Silver, White
22" - 48" Adjustable Height
\$198

Chain available in Black only.

2. POCKET CABLE MANAGEMENT

Keep cords neat and organized with an easy to install mesh cable management sleeve that is compatible with any base and worksurface. Includes 12 velcro straps that securely lock in your wires.





CMT-04 (Black)
CMT-05 (White)
CMT-06 (Silver)
36" W x 5" D
\$199







3. FLEX WIRE MANAGEMENT TRAY







This tray comes in three sizes. Its flexible design and thin steel construction allow for high flexibility in mounting and configuration. Seams along the surface indicate where bending should occur.





990103-__ Black, Silver, White 22.4" W \$102	990102-__ Black, Silver, White 43.7" W \$113	990101-__ Black, Silver, White 55.5" W \$128
--	--	--







	MODEL	COMPATABILITY	WEIGHT	LIST PRICE
Snap on Charging Mount 	CHG-CAP-1-__ CHG-CAP-E-___	Single top down Dual E2		\$240 \$240
	Description: <ul style="list-style-type: none">· Features 2 USB-A and 1 USB-C port· Input: 100-240VAC, 50/60Hz, 2.0A (Max.)· Output: 24VDC, 3A, 72W Notes: <ul style="list-style-type: none">· Specify color: White (WH) Silver (SI) Black (BK)			
Surface Power Module 	SMPM-3AA-C-___ SMPM-3AC-C-___		3 lbs. 3 lbs.	\$276 \$292
	Description: <ul style="list-style-type: none">· 3AA: Includes two power receptacles, two USB-A ports and a 72" power cord· 3AC: Includes two power receptacles, one USB-A port, one USB-C port and a 72" power cord· Mounts to edge of surface (.75" - 1.375")· UL approved Notes: <ul style="list-style-type: none">· Specify color: Black (BK) White (WH)			
Surface Power Module w/Wireless Charging 	SMPM-5-AAC-WRLS-__		4 lbs.	\$450
	Description: <ul style="list-style-type: none">· Includes two power receptacles, two USB-A ports, one USB-C port, wireless charging and a 72" power cord· Qi-Certified Notes: <ul style="list-style-type: none">· Specify color: Black (BK) White (WH)			
Keyboard Tray 	KT-27		12 lbs.	\$340
	Description: <ul style="list-style-type: none">· Tilt adjustment, +10/-10 degrees· 11" track· 360 degree swivel· Keyboard tray size 27" W x 10" D with polyurethane foam wrist rest· Built-in mouse tray on left and right side (mouse pad can be repositioned)· Exceeds ANSI/BIFMA x5.5· Available in black			

	MODEL	WEIGHT	LIST PRICE
<div>CPU Holder</div> <div></div>	CPU-HLDR-1	7 lbs.	\$163
	Description: <ul style="list-style-type: none">• 22 lbs. max weight capacity• Supports computers 11.8" - 21" H, 3.5" - 8" D• 360 degree swivel• Mount under desk or on wall• Available in black		
<div>CPU Holder w/Track</div> <div></div>	CPU-HLDR-2	12 lbs.	\$197
	Description: <ul style="list-style-type: none">• 22 lbs max weight capacity• Supports computers 11.8" - 21" H, 3.5" - 8" D• Slide track: 5.79" x 19.09"• Track adjustment: 12.8"• 360 degree swivel• Minimum worksurface depth: 20"• Mount under desk• Available in black		
<div>Thru-Desk Conversion Kit for Top Down Mounts</div> <div></div>	8524-TM-CK		No Charge
	Description: <ul style="list-style-type: none">• Hardware kit to convert top down mount desk edge mount to thru-desk• Desk thickness up to 1.5"• Bolt is M8 x 100mm Notes: <ul style="list-style-type: none">• Hardware only, does not include mount		
<div>FlexMount Conversion Kit for Top Down Mounts</div> <div></div>	8524-FM-CK		\$65
	Description: <ul style="list-style-type: none">• Hardware kit to convert top down mount to flex mount• 2-piece clamp for panel/screen systems• Desk thickness up to 1.5" Notes: <ul style="list-style-type: none">• Hardware only, does not include mount		
<div>Height Adjustable Adapter</div> <div></div>	8473-603		\$41
	Description: <ul style="list-style-type: none">• Allows for fine-tune monitor height adjustment• Attaches between tilter and VESA plate• Compatible with 7000 and Staxx series monitor mounts Notes: <ul style="list-style-type: none">• Color: Black e-coat		
<div>Next Gen Tilter</div> <div></div>	8500-__		\$69
	Description: <ul style="list-style-type: none">• Quick-install/quick-release mechanism Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)		

	MODEL	LIST PRICE
<div>4 in. extension arm</div> <div></div>	9118-9112	\$60
	Description: <ul style="list-style-type: none">• 4 in. extension arm Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
<div>4 in. extension arm with rotation stop</div> <div></div>	9118-9112-RS	\$168
	Description: <ul style="list-style-type: none">• 4 in. extension arm with rotation stop• For use with E2 Connex Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
<div>8.5 in. extension arm</div> <div></div>	9118-9130	\$92
	Description: <ul style="list-style-type: none">• 8.5 in. extension arm Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
<div>8.5 in. extension arm with rotation stop</div> <div></div>	9118-9130-RS	\$179
	Description: <ul style="list-style-type: none">• 8.5 in. extension arm with rotation stop• For use with E2 Connex Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
<div>12 in. extension arm</div> <div></div>	9118-12	\$117
	Description: <ul style="list-style-type: none">• 12 in. extension arm Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
<div>12 in. extension arm with rotation stop</div> <div></div>	9118-12-RS	\$202
	Description: <ul style="list-style-type: none">• 12 in. extension arm with rotation stop• For use with E2 Connex Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	

	MODEL	LIST PRICE
E2 Connex Dual Yoke	8360-RS	\$212
<div><div></div><div><div>Description:</div><div><ul style="list-style-type: none">· Dual yoke allows you to expand your E2 Connex configuration</div><div>Notes:</div><div><ul style="list-style-type: none">· Specify color: Black (104) Silver (124) White (248)</div></div></div>		
E2 Connex Dual Yoke	8360-RS	\$212
<div><div></div><div><div>Description:</div><div><ul style="list-style-type: none">· Dual yoke allows you to expand your E2 Connex configuration</div><div>Notes:</div><div><ul style="list-style-type: none">· Specify color: Black (104) Silver (124) White (248)</div></div></div>		
8510 Laptop Tray	8510	\$133
<div><div></div><div><div>Description:</div><div><ul style="list-style-type: none">· 13.5" x 10"· Allows for use of laptop with dual triple monitor configuration· Compatible with 100 mm VESA hole pattern</div><div>Notes:</div><div><ul style="list-style-type: none">· Specify color: Black (104) Silver (124) White (248)</div></div></div>		
Sliding VESA Assembly	8538-___	\$63
<div><div></div><div><div>Description:</div><div><ul style="list-style-type: none">· 7" of adjustment from left to right.· Ideal for positioning monitors of varying sizes side-by-side.· Allows for landscape/portrait monitor positioning.· Monitor tilter mechanism can tilt over 200 degrees.</div><div>Notes:</div><div><ul style="list-style-type: none">· Specify color: Black (104) Silver (124) White (248)</div></div></div>		
Winston E-Desk Beam	WNSTE-DESK-BEAM-___	\$185
<div><div></div><div><div>Description:</div><div><ul style="list-style-type: none">· Screen size: up to 27"· Weight capacity: up to 45 lbs. total· Compatible with Winston E-Desk</div><div>Notes:</div><div><ul style="list-style-type: none">· Specify color: Black (BLK) White (WHT)</div></div></div>		

	MODEL	WEIGHT	LIST PRICE
<div>Winston Mat</div> <div></div>	WNST-MAT		\$80
	Description: <ul style="list-style-type: none">· .75" thick durable foam delivers deep-cushion comfort.· Bounce-back memory restores energy while standing.· Durable, stain-resistant surface.· Material: Commercial grade, heavy-duty polyurethane.		
<div>Casters</div> <div></div>	CAS-37 4 CAS-37 5	2 lbs. 3 lbs.	\$75 \$95
	CAS-37 4 Description: <ul style="list-style-type: none">· Set of four 37mm dual wheel casters (2 locking, 2 non locking)· For 2 leg HAT base (compatible with HAT bases only)· Available in black CAS-37 5 Description: <ul style="list-style-type: none">· Set of five 37mm dual wheel casters (2 locking, 3 non locking)· For 3 leg base (compatible with HAT bases only)· Available in black		
<div>FlexShield</div> <div></div>	SHIELD-2430-WHT	12 lbs.	\$347
	Description: <ul style="list-style-type: none">· 24" W x 30" H, Pass through window: 12" W x 3.5" H· Constructed of polycarbonate: 250 times stronger than glass and virtually indestructible		
<div>FlexShield Wings</div> <div></div>	SHIELD-WINGS	9 lbs.	\$261
	Description: <ul style="list-style-type: none">· 11.75" W x 30" H· Flexible extruded hinges with adhesive allows user you to configure panels at any angle (requires FlexShield)· Constructed of polycarbonate: 250 times stronger than glass and virtually indestructible· Sold in pairs		

ACCESSORIES

SWITCHES

UP/DOWN


#UD

Up/Down Drive
Included as standard with all SX, SE, SXL,
Ellehaven, and Elle Frames.

DIGITAL SWITCH

#DS


\$194



PERSONAL HEALTH
ASSISTANT TRACKER

#PH

Up/Down Drive
4 Memory Positions
LED Reminder
Bluetooth®
Display
\$216



GROMMETS

60MM Grommet

#CPF-2600


\$11

BAG HOOK

BAG HOOK

#BH-S-XX

Silver, Black, White
\$42



CASTERS + GLIDES

(1) 1" ERGO CASTER

#8027

Locking

\$33



(1) 2" ERGO CASTER

#8033

Locking

\$38

(1) 2" ERGO CASTER

(ELLE & ELLEHAVEN)

#8036

Locking

\$60

(1) 3" SOFT WHEEL CASTER

#8028

Locking

\$86

(1) GLIDE EXTENDER

#R015139

\$22

BATTERY PACK

BATTERY PACK

#BP-KIT

\$726

Includes 1 Battery.

BATTERY KIT

#BP-KIT2

\$1,854

Includes 2 Batteries,
1 charging station, and
2 control boxes. Configured
to convert an Ellehaven or Elle
from corded to battery operated.

POWER + DATA


(ELLEHAVEN) INLAY

POWER, DATA, & USB

#D3P4USBSUR-XX-72

Black, White

\$639



#D3PSUR-XX-72

Black, White

\$369




UNDER SURFACE POWER

UNDER SURFACE

6X POWER





#NLD6PCOIL-B-120



\$248



HEALTHCARE CARTS

HAT Collective Healthcare's medical carts are designed for effortless mobility. Durable, compact, and easily maneuverable, these carts are ideal for working in space-constrained environments. Custom configurations support all types of capacity requirements, while electronic locking and audit trail software allow for seamless distribution of medication. Articulating keyboard trays and other add-on accessories accommodate all types of computer equipment, creating an ergonomic workspace for healthcare professionals on the go.

	MODEL	CASTERS	LIST PRICE
Fusion Hybrid Powered	FUS-H-19-P	5", Dove White	\$4,305
	Description: <ul style="list-style-type: none"> · Available with and without Armorguard Electronic Lock · Comes standard with keyboard lights and a footrest · Base: 15" W (front) x 19" W (back) x 18" D · Worksurface: High-density polypropylene and polyethylene <p>*When ordering Powered Fusion Carts, please order SP-450-ACDC-44.4-CPC-C13 (coiled cord) or SP-450-ACDC-44.4-RCR-C13 (retractable cord)</p>		
Fusion Hybrid Non-Powered	FUS-H-19-NP	5", Dove White	\$1,816
	Description: <ul style="list-style-type: none"> · Available with and without Armorguard Electronic Lock · Comes standard with keyboard lights and a footrest · Base: 15" W (front) x 19" W (back) x 18" D · Worksurface: High-density polypropylene and polyethylene 		
Fusion Laptop Powered	FUS-L-19-P	5", Dove White	\$4,321
	Description: <ul style="list-style-type: none"> · Available with and without Armorguard Electronic Lock · Comes standard with keyboard lights and a footrest · Base: 15" W (front) x 19" W (back) x 18" D. · Worksurface: High-density polypropylene and polyethylene <p>*When ordering Powered Fusion Carts, please order SP-450-ACDC-44.4-CPC-C13 (coiled cord) or SP-450-ACDC-44.4-RCR-C13 (retractable cord)</p>		
Fusion Laptop Non-Powered	FUS-L-19-NP	5", Dove White	\$1,835
	Description: <ul style="list-style-type: none"> · Available with and without Armorguard Electronic Lock · Comes standard with keyboard lights and a footrest · Base: 15" W (front) x 19" W (back) x 18" D · Worksurface: High-density polypropylene and polyethylene 		

	MODEL	CASTERS	LIST PRICE
Fusion Thin Client Powered	FUS-TC-17-P	5", Dove White	\$4,215
	Description: <ul style="list-style-type: none"> • Available with and without Armorguard Electronic Lock • Comes standard with keyboard lights and a footrest • Sleeve Finish: Tidal Blue • Base: 20 in. x 20 in. • Worksurface: High-density polypropylene and polyethylene <p>*When ordering Powered Fusion Carts, please order SP-450-ACDC-44.4-CPC-C13 (coiled cord) or SP-450-ACDC-44.4-RCR-C13 (retractable cord)</p>		
Fusion Thin Client Non-Powered	FUS-TC-17-NP	5", Dove White	\$1,725
	Description: <ul style="list-style-type: none"> • Available with and without Armorguard Electronic Lock • Comes standard with keyboard lights and a footrest • Base: 15" W (front) x 19" W (back) x 18" D • Worksurface: High-density polypropylene and polyethylene 		
Cynergy All-on-One Powered	CYN-AIO-17-P	6", Grey	\$4,184
	Description: <ul style="list-style-type: none"> • Comes standard with keyboard lights and a footrest • Sleeve Finish: Granite Sleeve • Includes 6" grey casters • Base: 20" x 20" • Worksurface: High-density polypropylene and polyethylene <p>*When ordering Powered Fusion Carts, please order SP-450-ACDC-44.4-CPC-C13 (coiled cord) or SP-450-ACDC-44.4-RCR-C13 (retractable cord)</p>		
Cynergy All-on-One Non-Powered	CYN-AIO-17-NP	6", Grey	\$1,695
	Description: <ul style="list-style-type: none"> • Comes standard with keyboard lights and a footrest • Sleeve Finish: Granite • Includes 6" grey casters • Base: 20" x 20" • Worksurface: High-density polypropylene and polyethylene 		

	MODEL	CASTERS	LIST PRICE
Cynergy Hybrid Powered 	CYN-H-19-P	6", Grey	\$4,356
	Description: <ul style="list-style-type: none"> • Comes standard with keyboard lights and a footrest • Sleeve Finish: Granit • Includes 6" grey casters • Base: 20" x 20" • Worksurface: High-density polypropylene and polyethylene <p>*When ordering Powered Fusion Carts, please order SP-450-ACDC-44.4-CPC-C13 (coiled cord) or SP-450-ACDC-44.4-RCR-C13 (retractable cord)</p>		
Cynergy Hybrid Non-Powered 	CYN-H-19-NP	6", Grey	\$1,869
	Description: <ul style="list-style-type: none"> • Comes standard with keyboard lights and a footrest • Sleeve Finish: Granite • Includes 6" grey casters • Base: 20" x 20" • Worksurface: High-density polypropylene and polyethylene 		
Cynergy Laptop Powered 	CYN-L-19-P	6", Grey	\$4,358
	Description: <ul style="list-style-type: none"> • Comes standard with keyboard lights and a footrest • Sleeve Finish: Granite • Includes 6" grey casters • Base: 20" x 20" • Worksurface: High-density polypropylene and polyethylene <p>*When ordering Powered Fusion Carts, please order SP-450-ACDC-44.4-CPC-C13 (coiled cord) or SP-450-ACDC-44.4-RCR-C13 (retractable cord)</p>		
Cynergy Laptop Non-Powered 	CYN-L-19-NP	6", Grey	\$1,869
	Description: <ul style="list-style-type: none"> • Comes standard with keyboard lights and a footrest • Sleeve Finish: Granite • Includes 6" grey casters • Base: 20" x 20" • Worksurface: High-density polypropylene and polyethylene 		

	MODEL	TOP SIZE	CASTERS	LIST PRICE
FRS	FRS-1818	18" x 18"	4", Black	\$631
	FRS-1824-K	18" x 24"	4", Black	\$748
	FRS-VVX-1500	14.25" x 21.5"	4", Black	\$632

- Description:**
- Foot release cart
 - 23", 5 star aluminum base
 - Worksurface: .75" laminate with bump resistant t-mold

	MODEL	LIST PRICE
OmniCenter All-in-one	OC-AIO-P	\$883
OmniCenter Hybrid	OC-H-NP	\$883

- Description:**
- Finish: Grey
 - Includes 6" grey casters
 - Base: 25.75" x 21.25"
 - Worksurface: High-density polypropylene

MATERIALS

METAL		WOOD		DIVIDERS										PEDESTAL CUSHIONS		SEATING	
Bases		Laminates		PET		Fabric Elements Line (Grade 1) Standard:		Fabric Fusion Line (Grade 2) Standard:		Acrylic & White Board		Aura		In-Stock:		Frame:	
In-Stock:		In-Stock:		In-Stock:						Standard:		Standard:		In-Stock:		Frame:	
<div></div> White WH		<div></div> Designer White DW		<div></div> Ash ASH		<div></div> Gaia F101		<div></div> Barley F210		<div></div> Clear Acrylic CLA		<div></div> Night FNI		<div></div> Charcoal 15-13		<div></div> White W	
<div></div> Silver SI		<div></div> Fawn Cypress FC		<div></div> Slate SLATE		<div></div> Euro F102		<div></div> Sable F211		<div></div> Frosted Acrylic FRA		<div></div> Slate FSL		Standard:		<div></div> Black B	
<div></div> Black BK				<div></div> Charcoal* CHARCOAL		<div></div> Mikan F103		<div></div> Java F212		<div></div> White Board WB		<div></div> Pebble FPE					
Standard:		<div></div> Designer White DW		<div></div> Iced Grey* IG		<div></div> Poppy F104		<div></div> Lemongrass F213				<div></div> Black FBL		<div></div> Sapphire 15-03		Mesh:	
<div></div> Steel Antique DM		<div></div> Manitoba Maple MM		Standard:		<div></div> Sodalite F108		<div></div> Rinse F214				<div></div> Oatmeal FOA		<div></div> Poppy 15-04		<div></div> Cloud M3H	
<div></div> Steel Matte HC		<div></div> Fawn Cypress FC		<div></div> Ash ASH		<div></div> Arundel F112		<div></div> Radiant F215				<div></div> Latte FLA		<div></div> Mica 15-07		<div></div> Smoke M2H	
<div></div> Charcoal CH		<div></div> Pinnacle Walnut PW		<div></div> Slate SLATE		<div></div> Stately F113		<div></div> Tyrian F216						<div></div> Salmon 15-08		<div></div> Raven M1H	
<div></div> Mocha 40		Butcherblock		<div></div> Charcoal CHARCOAL		<div></div> Sapphire F114		<div></div> Hyacinth F217						<div></div> Garnet 15-11		Seat Upholstery:	
<div></div> Clear 42		<div></div> Maple MP		<div></div> Iced Grey IG		<div></div> Steel F120		<div></div> Capri F218						<div></div> Meadow 15-15		<div></div> Alloy ALLOY	
Power & Data Beam		<div></div> Oak OA		<div></div> Cobalt COBALT		<div></div> Iron F121		<div></div> Aster F219						<div></div> Mauve 15-16		<div></div> Iron IRON	
<div></div> White WH		<div></div> Black Walnut BW		<div></div> Oat OAT		<div></div> Basalt F122		<div></div> Beyond F220						<div></div> Taupe 15-17		<div></div> Jet JET	
<div></div> Silver SI		Ivy		<div></div> Pear PEAR		<div></div> Jet F123		<div></div> Stucco F221						<div></div> Fern 15-18		Base:	
<div></div> Black BK		<div></div> Oak WO		<div></div> Sandstone SANDSTONE				<div></div> Aluminum F222						<div></div> Teal 15-19		<div></div> Polished Aluminum S1PB	
Storage		<div></div> Walnut WW						<div></div> Dove F223						<div></div> Black 15-21		<div></div> Black Nylon S1BB	
<div></div> White WH								<div></div> Links F224						<div></div> Sodalite 15-41			
<div></div> Silver SI								<div></div> Atoll F225						<div></div> Blue 15-44			
<div></div> Black BK								<div></div> Maize F226						<div></div> Iron 15-48			
Desktop Converters								<div></div> Papaya F227						<div></div> Seafoam 15-49			
<div></div> Flat White 248								<div></div> Macintosh F228						<div></div> Orange 15-75			
<div></div> Silver 124								<div></div> Berry F229						<div></div> Rust 15-102			
<div></div> Vista Black 104								<div></div> Gull F230						<div></div> Yellow 15-104			
<div></div> Grey Duotone 270								<div></div> Pewter F231						<div></div> Khaki 15-106			
<div></div> White WHT														<div></div> Brown 15-109			
<div></div> Black BLK														<div></div> Lilac 15-110			
Monitor Arms														<div></div> Frost Green 15-118			
<div></div> Flat White 248														<div></div> Denim 15-153			
<div></div> Silver 124														<div></div> Mustard 15-155			
<div></div> Vista Black 104														<div></div> Blue Green 15-161			
														<div></div> Fez 15-164			
														<div></div> Midnight 15-167			
														<div></div> Sapphire 15-173			
														<div></div> Purple 15-184			

IN-STOCK

Bases		Laminates		Seating	
	White WH		Designer White DW	Frame:	
	Silver SI		Fawn Cypress FC	Black B	
	Black BK	Dividers (PET)		Mesh:	
Power & Data Beam			Ash ASH	Raven M1H	
	White WH		Slate SLATE	Seat Upholstery:	
	Silver SI		Charcoal* CHARCOAL	Jet JET	
	Black BK		Iced Grey* IG	Base:	
Storage (HAT Pedestals)		Pedestal Cushion		Black Nylon S1BB	
	White WH	Charcoal 15-13			
	Silver SI				
	Black BK				
Desktop Converters					
	Silver 124				
	Vista Black 104				
	Grey Duotone 270				
	White WHT				
	Black BLK				
Monitor Arms					
	Silver 124				
	Vista Black 104				



HAT
COLLECTIVE™
HUMAN ACTIVE TECHNOLOGY

HAT Collective
Global Headquarters
100 Kuebler Road
Easton, PA 18040

408 437 8770
hatcollective.com

